





Supporting Pupil's Medical Conditions in School Policy

Original May 2010
Revised January 2013/ May 2015/ February 2018
Agreed and adopted by Cheadle Primary
Governing Board

November 2019 November 2023

Corporate Support Services

Contents

Foreword	1
School/ Early Years Setting Policy Record	2
Policy Statement	
Governor Responsibilities	4
Headteacher Responsibilities	
All School/ Early Years Setting Staff and Support Staff Responsibilities	
Teaching Staff Responsibilities	
School Nurse or Healthcare Professional Responsibilities	
First Aider Responsibilities	
Special Educational Needs Coordinator Responsibilities	
Pastoral Support Responsibilities	
Pupil Responsibilities	
Parents/Carers Responsibilities	
Policy Example and Guidelines	
Medical Conditions Information Pathway	
Administration – Emergency Medication	. 13
Administration – General	
Use of 'over the counter' i.e. non-prescription medications	14
Guidelines for administering Paracetamol	
Safe Storage – Emergency Medication	
Safe Storage – Non-Emergency Medication	
Safe Storage – General	
Safe Disposal	
Enrolment Forms	. 19
Individual Health Plans (Forms 1 – 1g)	19
School/ Early Years Setting Individual Health Plan Register	20
On-going Communication and Review of Individual Health Plans	
Storage and Access to Individual Health Plans	20
Use of Individual Health Plans	. 21
Consent to Administer Medicines	21
Residential Visits	. 21
Record of Awareness Raising Updates and Training	22
Physical Environment and Reasonable Adjustments	23
Social Interactions	
Exercise and Physical Activity	24
Education and Learning	
Risk Assessments	. 25
Reasonable Adjustments	25
Legislation and Guidance	

APPENDICES	32
Form 1 - Individual Health Plan	33
Form 1a - Individual Health Plan - Diabetes	38
Form 1b - Individual Health Plan - Epilepsy	54
Action Plan for Allergic Reactions (EpiPen)	59
Action Plan for Allergic Reaction (JEXT)	
Form 1d - Individual Health Plan - Asthma	
Template Letter from School Nurse to Parent/Carer	67
Form 3a - Medication Permission & Record – Individual Pupil	
Form 3b - Record of Medication	
Form 4 - Staff Training Record	
Form 5 - For Visits and Journeys	71
Giving Paracetamol in Stockport Schools/ Early Years Settings	. 73
Verbal Consent from Parent / Carer	
Emergency Procedures	75
How to Administer BUCCOLAM	76
Administration of Rectal Diazepam	78
Guidance for Schools on the use of Emergency Salbutamol Inhalers	79
Asthma Emergency Procedures	80
Anaphylaxis Emergency Procedures	82
Diabetes Emergency Procedures	84
Epilepsy Emergency Procedures	86
Management of Needlestick/Sharp Injuries	89

Foreword

One of the most important responsibilities both schools and Local Authorities have is to ensure the health and safety of the pupils in their care. Within all of our schools, we have pupils with medical needs these may be for a short period of time through to more complex long term medical conditions and as schools you have to ensure that their needs are met and your school is as well prepared and trained to offer your children the support and help they may need during the school day and in other activities that fall either side of this so they can play a full and active role in school life.

Stockport has worked with our colleagues in the NHS and schools over many years now to ensure that we continue to develop both the policy and support for yourselves in meeting the needs of children with medical conditions. We also work closely with St Johns Ambulance who offer schools a wide variety of training support to both staff and children. It has been a joy to see children becoming confident in first aid, recognising and supporting their peers and getting their school the badge of honour school mark.

This is the third revision of the policy for Early Years settings and Schools. While they do not have to follow this guidance many of our independent provisions across Stockport also use this within their establishments. We hope that you will find the information contained useful and that you will personalise this to your school. We would ask that you bring this to the attention of you staff, governors and parents so all will be assured that the school is looking to meet the needs of all the children in their care alongside the school nursing service and other support from our NHS colleagues.

Ajujahalawa

Director of Education Services (Interim)

School/ Early Years Setting Policy Record

School/ Early Years Setting Policy Agreed at:	Cheadle Primary School November 2019		
Reviewed:	November 2021		
Designated Person:	Karen Leech Headteacher		
Governor with Remit:	Dr. Clare Welch Chair of Governors		
Emergency Contacts for Staff:	Karen Leech		

Policy Statement

At Cheadle Primary School, we are an inclusive community that aims to support and welcome pupils with medical conditions.

We aim to provide all pupils with all medical conditions the same opportunities as others at schools/ early years settings.

We will help to ensure they can through the following:

- This school/ early years setting ensures all staff understand their duty of care to children and young people (CYP) in the event of an emergency.
- All staff feel confident in knowing what to do in an emergency.
- This school/ early years setting understands that certain medical conditions are serious and can be potentially life threatening, particularly if ill managed or misunderstood.
- This school/ early years setting understands the importance of medication being taken as prescribed.
- All staff understand the common medical conditions that affect CYP at this school/ early years setting. This school/ early years setting allows adequate time for staff to receive training on the impact medical conditions can have on pupils.
- Staff receive additional training about any CYP they may be working with who have complex medical needs supported by an Individual Health Plan (IHP).

This policy is followed and understood by our school/ early years setting community, the Local Authority and Stockport Foundation Trust.

1. Each member of the school/ early years setting and health community knows their roles and responsibilities in maintaining an effective medical conditions policy.

- a. This school/ early years setting works in partnership with all interested and relevant parties including the school/ early years setting's governing body, school/ early years setting staff, and community healthcare professionals and any relevant emergency practitioners to ensure the policy is planned, implemented and maintained successfully.
- b. The following roles and responsibilities are used for the medical conditions policy at this school/ early years setting. These roles are understood and communicated regularly.

Governor Responsibilities

Governors have a responsibility to:

- Ensure the health and safety of their staff and anyone else on the premises or taking part in school/ early years setting activities (this includes all pupils). This responsibility extends to those staff and others leading activities taking place off-site, such as visits, outings or field trips.
- Ensure the school/ early years setting s health and safety policies and risk assessments are inclusive of the needs of pupils with medical conditions and reviewed annually.
- Make sure the medical conditions policy is effectively implemented, monitored and evaluated and regularly updated through a specified Governor's Committee and/or Full Governing Board.
- Ensure that the school/ early years setting has robust systems for dealing with medical emergencies and critical incidents (see Stockport's Critical Incidents Guidelines), at any time when pupils are on site or on out of school/ early years setting activities.
- Early Years provision must comply with the EYFS Statutory Requirements.

Headteacher Responsibilities

The Headteacher has a responsibility to:

- Ensure the school/ early years setting is inclusive and welcoming and that the medical conditions policy is in line with local and national guidance and policy frameworks.
- Ensure the policy is put into action, with good communication of the policy to all teaching and non teaching staff, parents/carers and governors.
- Ensure every aspect of the policy is maintained.
- Ensure that if the oversight of the policy is delegated to another senior member of staff that the reporting process forms part of their regular supervision/reporting meetings.
- Monitor and review the policy at regular intervals, with input from governors, parents/carers, staff and external stakeholders.
- Report back to governors about implementation of the health and safety and medical conditions policy.
- Ensure through consultation with the governors that the policy is adopted and put into action.
- Ensure adequate numbers of first aiders and up to date training. All school/ early years settings must have a least one paediatric trained first aider.
- Early Years provision must comply with the EYFS Statutory Requirements.

All School/ Early Years Setting Staff and Support Staff Responsibilities

All School/ Early Years Setting Staff and Support Staff have a responsibility to:

- Be aware of the potential triggers, signs and symptoms of common medical conditions and know what to do in an emergency.
- Call an ambulance in an emergency.
- Understand the school/ early years setting's medical conditions policy.
- Know which pupils in their care have a complex medical need and be familiar with the content of the pupil's Individual Health Plan.
- Know the school/ early years setting's registered first aiders and where assistance can be sought in the event of a medical emergency.
- Know the members of the school/ early years setting's Critical Incident Team if there is a need to seek assistance in the event of an emergency.
- Maintain communication with parents/carers including informing them if their CYP has been unwell at school/ early years setting.
- Ensure pupils who need medication have it when they go on a school/ early years setting visit or out of the classroom.
- Be aware of pupils with medical conditions who may be experiencing bullying or need extra social support (School/ early years setting to add link to school/ early years setting's behaviour/anti bullying policy).
- Understand the common medical conditions and the impact these can have on pupils.
- Ensure that all pupils with medical conditions are not excluded unnecessarily from activities they
 wish to take part in.
- Ensure that pupils have the appropriate medication or food during any exercise and are allowed to take it when needed.
- Follow standard precautions if handling body fluids:
- https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/522337/ G uidance_on_infection_control_in_schools.pdf
- Ensure that pupils who presents as unwell should be questioned about the nature of their illness:
- · if anything in their medical history has contributed to their current feeling of being unwell,
- if they have felt unwell at any other point in the day,
- if they have an Individual Health Plan and if they have any medication.
- The member of staff must remember that while they can involve the pupil in discussions regarding their condition, they are in loco parentis and as such must be assured or seek further advice from a registered first aider if they are in doubt as to the CYP's health, rather than take the CYP's word that they feel better.

Teaching Staff Responsibilities

Have an additional responsibility to also:

- Ensure pupils who have been unwell have the opportunity to catch up on missed school/ early years setting work as appropriate.
- Be aware that medical conditions can affect a pupil's learning and provide extra help when pupils need it, in liaison with the SENDCO/ School Nurse.
- Liaise with parents/carers, special educational needs coordinator and welfare officers if a CYP
 is falling behind with their work because of their condition.
- If parent/carer cannot be contacted, advise senior member of staff.

 Use opportunities such as PSHE and other areas of the curriculum to raise pupil awareness about medical conditions.

School Nurse or Healthcare Professional Responsibilities

Schools/ early years settings should be very clear in differentiating between the responsibilities of the School Nurse and First Aiders. It is important these not be confused by pupils, parents/carers or other staff as liability may ensue.

The School Nurse or Healthcare Professional has a responsibility to:

- Offer annual updates for school/ early years setting staff in managing the most common medical
 conditions at school/ early years setting at the school/ early years settings request. If a new
 medical condition arises over the year then the school nurse will provide an update or give advice
 on the most appropriate service to deliver it and provide information about where the school/
 early years setting can access other specialist training.
- Update the Individual Health Plans when informed of a change in liaison with appropriate school/ early years setting staff and parents/carers.

First Aider Responsibilities

First Aiders have an additional responsibility to:

- Give immediate, appropriate help to casualties with injuries or illnesses.
- When necessary ensure that an ambulance is called.
- Ensure that their training is up to date and in line with the appropriate sector recommendations.
- It is recommended that first aiders are trained in paediatric first aid across the school/ early years setting.
- School/ early years settings should take note of the Early Years First Aid requirements.

Special Educational Needs Coordinator Responsibilities

Special Educational Needs Coordinators have the additional responsibility to:

☐ Ensure teachers make the necessary arrangements if a pupil needs special consideration or access arrangements in exams or coursework.

Pastoral Support Responsibilities

Pastoral Support have the additional responsibility to:

- Know which pupils have a medical condition and which have special educational needs because of their condition.
- Ensure all pupils with medical conditions are not excluded unnecessarily from activities they wish to take part in.

Pupil Responsibilities

Pupils have a responsibility to:

- Treat other pupils with and without a medical condition equally.
- Tell their parents/carers, teacher or nearest staff member when they are not feeling well.
- Let a member of staff know if another pupil is feeling unwell.
- Treat all medication with respect.

- Know how to gain access to their medication in an emergency.
- Ensure a member of staff is called in an emergency situation.
- Do not share or use medical equipment or medicines with other pupils.

Parents/Carers Responsibilities

Parents/Carers have a responsibility to:

- Tell the school/ early years setting if their CYP has a medical condition or complex medical need particularly if there is a potential risk to their CYP and/or other pupils.
- Ensure the school/ early years setting has a complete and up-to-date Individual Health Plan if their CYP has a complex medical need.
- Inform the school/ early years setting
- about the prescribed medication their CYP requires during school/ early years setting hours and before/after school activities/clubs.
- Inform the school/ early years setting /provider of any medication their CYP requires while taking part in visits, outings or field trips and other out-of-school activities.
- Tell the school/ early years setting about any changes to their CYP's medication, what they take, when, and how much.
- Inform the school/ early years setting of any changes to their CYP's condition.
- Ensure their CYP's medication and medical devices are labelled with their CYP's full name.

 Ensure that the school/ early years setting has full emergency contact details for them.
- Provide the school/ early years setting with appropriate spare medication labelled with their CYP's name.
- Ensure that their CYP's medication is within expiry dates.
- Keep their CYP at home if they are not well enough to attend school/ early years setting (refer to Public Health England guidelines and/or other specialist healthcare professionals).
- If there is an outbreak or specific risk of outbreak, then parents/carers must follow the guidance issued by the school/ early years setting (provided by professional bodies).
- Ensure their CYP catches up on any relevant school/ early years setting work they have missed.
- Ensure their CYP has regular reviews about their condition with their doctor or specialist healthcare professional.
- If the CYP has complex medical needs, ensure their CYP has a written Individual Health Plan for school/ early years setting.
- Have completed/signed all relevant documentation including form 3a and the Individual Health Plan if appropriate.
- Ensure that their CYP is as up to date as possible with immunisations to ensure that both the school/ early years setting and its pupils are as safe as possible. If parents/carers do not wish to have their CYP vaccinated then the school/ early years setting need to be made aware of this and a risk assessment of activities to be undertaken needs to be completed.

Policy Example and Guidelines

- 2. This school/ early years setting is an inclusive community that aims to support and welcome pupils with medical conditions. It recognises its duty under the equality regulations to care for all pupils.
- a. This school/ early years setting understands that it has a responsibility to make the school/ early years setting welcoming and supportive to pupils with medical conditions who currently attend and to those who may enrol in the future. In doing so, the school/ early years setting will work in partnership alongside the child's parents/carers.
- b. This school/ early years setting aims to provide all CYP with all medical conditions the same opportunities as others at school/ early years settings. We will help to ensure they can:
 - be healthy
 - stay safe
 - · enjoy and achieve
 - make a positive contribution
 - · achieve economic well-being
- c. Pupils with medical conditions are encouraged to manage their condition.
- d. This school/ early years setting aims to include all pupils with medical conditions in all school/ early years setting activities wherever possible.
- e. Parents/carers of pupils with medical conditions are aware of the care their CYP receive at this school/ early years setting.
- f. The school/ early years setting ensures all staff understand their duty of care to CYP in the event of a medical emergency.
- g. All staff have access to information about what to do in a medical emergency.
- h. This school/ early years setting understands that medical conditions are serious and can be potentially life-threatening, particularly if ill managed or misunderstood.
- i. The school/ early years setting Nursing Service will offer school/ early years setting an annual update. If a new medical condition arises over the year then the school nurse will provide an update or give advice on the most appropriate service to deliver it. THE HEADTEACHER IS RESPONSIBLE FOR ENSURING STAFF RECEIVE ANNUAL UPDATES.
- j. The Headteacher and Governing Board are responsible for ensuring the medical conditions policy is understood and followed by the whole school/ early years setting.

k.	This school/ early years setting understands and encourages the importance of immunisation and the role this has to play in ensuring a safe and inclusive school/ early years setting and will work in partnership with parents/carers and health professionals to this end.				

- 3. The medical conditions policy is supported by a clear communication plan for staff, parents/carers and other key stakeholders to ensure its full implementation (see Medical Conditions Information Pathway below).
- a. Pupils are informed and reminded about the medical conditions policy:
 - in personal, social and health education (PSHE) lessons and assemblies.
- b. Parents/carers are informed about the medical conditions policy and that information about a child's medical condition will be shared with the school nurse:
 - at the start of the school/ early years setting year when a communication is sent out about Individual Health Plans
 - · in the school/ early years setting newsletter at intervals in the year
 - · when their CYP is enrolled as a new pupil
 - · via the school/ early years setting's website, where it is available all year round
- c. School/ early years setting staff are informed and regularly reminded about the school/ early years setting's medical conditions policy:
 - · through the staff handbook and staff meetings and by accessing the school's Shared Area
 - through medical conditions updates
 - through the key principles of the policy being displayed in several prominent staff areas at this school/ early years setting and on the school/ early years setting's intranet
 - all supply and temporary staff are informed of the policy and their responsibilities including who
 is the designated person, any medical needs or Individual Health Plans related to the CYP in
 their care and how to respond in emergencies
 - Staff are made aware of Individual Health Plans as they relate to their teaching/supervision groups. This is a role for the designated person, Pam Flinn.
- d. School/ early years setting Governors should receive updates from the Local Authority if changes are made to the policy and ensure points a-c are met by the school/ early years setting.

Medical Conditions Information Pathway

Form sent out by school/ early years setting asking parents/carers School/ early to identify any medical conditions including: years setting

Transition discussions

At start of school/ early years setting year

- New enrolment (during the school/ early years setting year)
- Parents/carers inform school/ early years setting of any new diagnosis, school/ early years setting then to inform school nurse

School/ early years setting and School Nurse collate response and identify those needing individual health plans	School/ early years setting
School Nurse contacts parents/carers to formulate new plan or review existing plan if necessary	School Nurse

School Nurse discusses new or reviewed IHP with designated School Nurse & person. Stored in school/ early years setting according to policy. school/ early years setting

All parties to ensure IHP is in place. If there are any difficulties in getting this finalised, School Nurse to discuss with designated school/ early person.

Pupils with medical conditions requiring Individual Health Plans are: those who have diabetes, epilepsy with rescue medication, anaphylaxis, gastrostomy feeds, central line or other long term venous access, tracheostomy, severe asthma that has required an overnight hospital admission within the last 12 months. There may be other CYP with unusual chronic conditions who need a care plan, please liaise with the School Nurse about them.

Relevant staff understand and are updated in what to do in a medical emergency for the most common medical conditions at this school/ early years setting.

- a. Relevant staff at this school/ early years setting are aware of the most common medical conditions at this school/ early years setting.
- b. Staff at this school/ early years setting understand their duty of care to pupils both during, and at either side of the school/ early years setting day in the event of a medical emergency. In any

emergency situation school/ early years setting staff are required under common law duty of care to act like any reasonably prudent parent/carer. This may include administering medication. In the event of the CYP attending a pre or after school/ early years setting activity organised by a private provider, the responsibility of sharing a CYP's medical needs is the responsibility of parents/carers.

- c. Staff should receive updates at least once a year from the school nurse for asthma and other medical needs and know how to act in an emergency. Additional training is prioritised for key staff members who work with CYP who have specific medical conditions supported by an Individual Health Plan.
- d. The action required for staff to take in an emergency for the common conditions at this school/ early years setting is displayed in prominent locations for all staff including classrooms, kitchens, in the school/ early years setting staff room and electronically.
- e. This school/ early years setting uses Individual Health Plans to inform the appropriate staff (including supply teachers and support staff) of pupils with complex medical needs in their care who may need emergency help.
- f. This school/ early years setting has procedures in place so that a copy of the pupil's Individual Health Plan is sent to the emergency care setting with the pupil. On occasions when this is not possible, the form is sent (or the information on it is communicated) to the hospital as soon as possible.
- g. If a pupil needs to be taken to hospital, a member of staff will always accompany them and will stay with them until a parent/carer arrives. This school/ early years setting will try to ensure that the staff member will be one the pupil knows. The staff member concerned should inform a member of the school/ early year's settings senior management and/or the school/ early years setting's critical incidents team.

5. The school/ early years setting has clear guidance on the administration of medication at school/ early years setting.

Administration – Emergency Medication

- a. This school will seek to ensure that pupils with medical conditions have **appropriate access to their emergency medication.**
- b. This school will ensure that all pupils understand the arrangements for a member of staff (and the reserve member of staff) to assist in supporting and/or administering their emergency medication safely.

Administration - General

Schools are not duty bound to administer medication i.e unless specified by the doctor to be taken at certain times of the day. If a CYP has prescribed medication 3 times per day, these can easily be administered either side of the school day. If a CYP is prescribed them for 4 or more times per day, then school would be duty bound to administer at least one of these.

- c. This school understands the importance of medication being taken as prescribed.
- d. All use of medication is done under the appropriate supervision of a member of staff at this school unless there is an agreed plan for self-medication. If staff become aware pupils are using their medication in an abnormal way they should discuss this with the CYP.

Important Note: Should staff become aware that a CYP using their reliever (usually blue) inhaler more than three times a week or suddenly using their reliever inhaler more than they normally do, has asthma that may not be under control and may be at greater risk of having an asthma attack. Should this be observed, immediate action should be taken to alert the parents/carers and staff should record any actions or discussions.

- e. All staff are aware that there is no legal or contractual duty for any member of staff to administer medication or supervise a pupil taking medication unless they have been specifically contracted to do so or unless the situation is an emergency and falls under their regular duty of care arrangements.
- f. Many members of staff are happy to take on the voluntary role of administering medication. For medication where no specific training is necessary, any member of staff may administer medication to pupils under the age of 16, but only with the written consent of the pupil's parent/carer (see form 3a).
- g. This school will ensure that specific training and updates will be given to all staff members who agree to administer medication to pupils if necessary.
- h. All school staff in this school have been informed through training that they are required, under common law duty of care, to act like any reasonably prudent parent/carer in an emergency situation. This may include taking action such as assisting in administering medication or calling an ambulance.
- i. In some circumstances, medication is only administered by an adult of the same gender as the pupil, and preferably witnessed by a second adult. This will be agreed in the Individual Health Plan.
- j. Parents/carers at this school understand that if their CYP's medication changes or is discontinued, or the dose or administration method changes, that they should notify the school. Parents/carers should provide the school with any guidance regarding the administration of medicines and/or treatment from the GP, clinics or hospital. School should inform the school nurse should the IHP need to be amended.
- k. If a pupil at this school refuses their medication, staff will record this and contact parents/SLT immediately.

- I. All staff attending off-site visits are aware of any pupils on the visit who have medical conditions. They will receive information about the type of condition, what to do in an emergency and any other additional support necessary, including any additional medication or equipment needed.
- m. The needs of all pupils on trips and visits should be Risk Assessed and the pupil's prescribed medication and spare inhaler, if necessary, should be taken and accessible.
- n. If a trained member of staff, who is usually responsible for administering medication, is not available the school/ early years setting explores possible alternative arrangements with parents/carers. This is always addressed in the risk assessment for off-site activities.
- o. If a pupil misuses medication or medical equipment, either their own or another pupil's, their parents/carers are informed as soon as possible. The school will seek medical advice by ringing A+E if this situation arises. In such circumstances, pupils will be subject to the school/ early years setting's usual disciplinary procedures.
- p. If the school receives a request or instruction from a parent/carer which would appear to be contrary to the advice in the document and from the DFE, the school should seek clarification from the parent/carer and any advice they can provide from consultants/clinicians associated with the pupil's case and also contact School Support (0161 474 3917) / School Nurse (0161 835 6083) to discuss the matter before agreeing any further action.

Use of 'over the counter' i.e. non-prescription medications

There must be written parental consent for recurring 'over the counter' medications e.g. piriton for hayfever (form 3a).

Where a non-prescribed medicine is administered to a CYP it should be recorded (form 3b) and the parents/carers informed.

Medication e.g. for pain relief, should never be administered without first checking the label for the appropriate dosage and checking when the previous dose was taken.

If a CYP suffers regularly from frequent or acute pain the parents/carers should be encouraged to refer the matter to the child's GP.

A child under 16 should never be given aspirin unless prescribed by a doctor.

Early Years providers should follow the EYFS guidance:

'Medicines must not usually be administered unless they have been prescribed for a CYP by a doctor, dentist, nurse or pharmacist (EYFS Statutory Guidance 2017).'

Guidelines for administering Paracetamol

Paracetamol is a widely used drug for controlling pain and reducing temperature. Despite its prevalence, it can be very dangerous if taken inappropriately. Overdose requires immediate medical attention.

The Local Authority, in consultation with health practitioners, has carefully considered the benefits and dangers of administering this non-prescription drug in schools and settings. Administering paracetamol to children under 5 is not usually recommended.

Early Years providers should follow the EYFS guidance section 3.44-3.46:

'Prescribed medicines must not usually be administered unless they have been prescribed for a CYP by a doctor, dentist, nurse or pharmacist. (Medicines containing Aspirin should only be given if prescribed by a doctor). (EYFS Statutory Guidance 2017).'

For older pupils, it is sometimes appropriate to give paracetamol to control specific pain such as migraine or period pain. Schools administering paracetamol to CYP should adhere to the following conditions:

The member of staff responsible for giving medicines must be wary of routinely giving paracetamol to children. If a CYP complains of pain as soon as they arrive at school setting and asks for painkillers, it is not advisable to give paracetamol until the amount given over the past 24 hours has been established. No more than 4 doses should be given in a 24 hour period. There should be at least 4 hours between any 2 doses of paracetamol containing medicines. No more than 4 doses of any remedy containing paracetamol should be taken in any 24 hours. Always consider whether the CYP may have been given a dose of paracetamol before coming to school. Many non-prescription remedies such as Beechams Powders, Lemsip, Night Nurse etc. contain paracetamol. If paracetamol tablets are taken soon after taking these remedies, it could cause an unintended overdose.

There must be parental consent to give paracetamol (appendix 6)

Paracetamol must be administered according to the instructions on the box or label. Stronger doses or combination drugs, which contain other drugs besides paracetamol must not be administered. It is recommended that the school/ early years setting keep its own stock of tablets. This reduces the risk of pupils carrying medicines.

Paracetamol must be stored securely and should not be kept in first aid boxes.

If it is the school policy not to stock paracetamol, there must be a clear and safe arrangement for parents/carers to supply them to the school for the CYP. It is not recommended to allow CYP to carry paracetamol around.

CYP should only be given one dose during the school day. If this does not relieve the pain, contact the parent/carer or the emergency contact.

The member of staff responsible for giving medicines must witness the CYP taking the paracetamol, and make a record of it (appendix 3b). The school must notify the parent/carer on the day, stating the time and the amount of the dose.

The pupil should be made aware that paracetamol should only be taken when absolutely necessary, that it is an ingredient in many cold and headache remedies and that great care should be taken to avoid overdosing.

Infection in Childcare Settings

Schools and nurseries are common sites for transmission of infections. Children are particularly susceptible because:

- they have immature immune systems
- have close contact with other children
- · sometimes have no or incomplete vaccinations
- have a poor understanding of hygiene practices

Please see link for further guidance https://www.gov.uk/government/publications/health-protection-inschools-and-other-childcare-facilities

6. This school/ early years setting has clear guidance on the storage of medication at school/ early years setting.

Safe Storage - Emergency Medication

- a. Emergency medication is readily available to pupils who require it at all times during the school day or at off-site activities. If the emergency medication is a controlled drug and needs to be locked up, the keys are readily available and not held personally by members of staff.
- b. If the pupil concerned is involved in extended school services then specific arrangements and risk assessments should be agreed with the parent/carer and appropriate staff involved.
- c. It is appropriate for a pupil to carry an adrenaline auto injector on their person in school after a risk assessment has been completed.

Safe Storage - Non-Emergency Medication

d. All non-emergency medication is kept in a secure place, in a locked cupboard in a cool dry place. Pupils with medical conditions know where their medication is stored and how to access it.

- e. It is not appropriate for a pupil to carry insulin on their person in school. This should be stored in a locked cupboard.
- f. Staff ensure that medication is accessible only to those for whom it is prescribed.

Safe Storage - General

- g. This school has an identified member of staff, Pam Flinn who ensures the correct storage of medication at school.
- h. All controlled drugs are kept in a locked cupboard and only named staff have access.
- i. The identified member of staff checks the expiry dates for all medication stored at school each term (i.e. three times a year).
- j. The identified member of staff, along with the parents/carers of pupils with medical conditions, ensures that all emergency and non-emergency medication brought into school is clearly labelled with the pupil's name, the name of the medication, route of administration, dose and frequency, and expiry date of the medication.
- k. All medication is supplied and stored in its original containers. All medication is labelled with the pupil's name, the name of the medication, expiry date and the prescriber's instructions for administration, including dose and frequency.
- I. Medication is stored in accordance with the manufacturer's instructions, paying particular note to temperature.
- m. Some medication for pupils at this school may need to be refrigerated. All refrigerated medication is stored in an airtight container and is clearly labelled. Refrigerators used for the storage of medication are inaccessible to unsupervised pupils or locked as appropriate. Medication fridges MUST only be used for the storage of medicines and no other items.
- n. All medication (including blue inhalers) and equipment such as spacers or blood sugar monitoring kits are sent home with pupils at the end of the school term.
- o. It is the parents/carer's responsibility to ensure adequate supplies of new and in date medication comes into school at the start of each term with the appropriate instructions and ensures that the school/ early years setting receives this.

Safe Disposal

- p. Parents/carers at this school are asked to collect out-of-date medication.
- q. If parents/carers do not pick up out-of-date medication, or at the end of the school year, medication is taken to a local pharmacy for safe disposal with agreement from the local pharmacy.

- r. A named member of staff is responsible for checking the dates of medication and arranging for the disposal of any that have expired. This check is done at least 3 times a year and is always documented.
- s. Sharps boxes are used for the disposal of needles. Parents/carers obtain sharps boxes from the child's GP or paediatrician on prescription. All sharps boxes in this school are stored in a locked cupboard unless alternative safe and secure arrangements are put in place on a case-by-case basis. Each box must be signed and dated as per assembly instructions, there should be one box per child and the temporary closure MUST be used when the box is not in use.
- t. If a sharps box is needed on an off-site or residential visit, a named member of staff is responsible for its safe storage and return to a local pharmacy, to school or to the pupil's parent/carer.
- u. Disposal of sharps boxes the sharps bin should be closed securely and returned to parents/carers. Parents/carers then need to take the sharps bin to the GP for disposal.

This school has clear guidance about record keeping for pupils with medical conditions.

Enrolment Forms

- a. Parents/carers at this school/ early years setting are asked if their CYP has any medical conditions.
- b. If a pupil has a short-term medical condition that requires medication during school hours (e.g. antibiotics to cover a chest infection), a medication form plus explanation is sent to the pupil's parents/carers to complete (form 3a).

Individual Health Plans (Forms 1 - 1g)

Drawing up Individual Health Plans

c. This school uses an Individual Health Plan for CYP with complex medical needs to record important details about the individual children's medical needs at school, their triggers, signs, symptoms, medication and other treatments. Further documentation can be attached to the Individual Health Plan if required (see form 1).

Examples of complex medical needs which may generate an Individual Health Plan following discussion with the school purse and the school are listed below.

The CYP has:

- diabetes
- gastrostomy feeds
- a tracheostomy
- anaphylaxis
- a central line or other long term venous access

- severe asthma that has required an overnight hospital admission within the last 12 months
- · epilepsy with rescue medication.
- d. An Individual Health Plan, accompanied by an explanation of why and how it is used, is sent to all parents/carers of pupils with a complex medical need. This is sent by the school nurse: □ at the start of the school/ early years setting year
 - at enrolment
 - when a diagnosis is first communicated to the school/ early years setting ☐ transition discussions
 - new diagnosis.
- e. It is the parents/carers responsibility to fill in the Individual Health Plan and return the completed form to the school nurse. If the school nurse does not receive an Individual Health Plan, all school staff should follow standard first aid measures in an emergency. The school will contact the parent/carer if health information has not been returned. If an Individual Health Plan has not been completed, the school nurse will contact the parents/carers and may convene a TAC meeting or consider safeguarding CYP procedures if necessary.
- f. The finalised plan will be given to the parents/carers, school and school nurse.
- g. This school/ early years setting ensures that a relevant member of school staff is present, if required, to help draw up an Individual Health Plan for pupils with complex medical or educational needs.

School/ Early Years Setting Individual Health Plan Register

- h. Individual Health Plans are used to create a centralised register of pupils with complex medical needs. An identified member of school staff has responsibility for the register at this school. School/early years settings should ensure that there is a clear and accessible system for identifying pupils with health plans/medical needs such as names being 'flagged' on the SIMs system. A robust procedure should be in place to ensure that the CYPs record, contact details and any changes to the administration of medicines, condition, treatment or incidents of ill health in the school/early years setting are updated on the school/ early years setting's record system.
- i. The responsible member of school staff follows up with the parents/carers and health professional if further detail on a pupil's Individual Health Plan is required or if permission or administration of medication is unclear or incomplete.

On-going Communication and Review of Individual Health Plans

j. Parents/carers at this school are regularly reminded to update their CYP's Individual Health Plan if their CYP has a medical emergency or if there have been changes to their symptoms (getting better or worse), or their medication and treatments change. Each Individual Health Plan will have a yearly review date with the school nurse. The school should inform the school nurse of any changes to the IHP.

k. Parents/carers should have a designated route/person to direct any additional information, letters or health guidance to in order that the necessary records are altered quickly and the necessary information disseminated.

Storage and Access to Individual Health Plans

- I. Parents/carers and pupils (where appropriate) at this school are provided with a copy of the pupil's current agreed Individual Health Plan.
- m. Individual Health Plans are kept in a secure central location at school/ early years setting.
- n. Apart from the central copy, specified members of staff (agreed by the pupil and parents/carers) securely hold copies of pupils' Individual Health Plans. These copies are updated at the same time as the central copy. The school must ensure that where multiple copies are in use, there is a robust process for ensuring that they are updated, and hold the same information.
- o. When a member of staff is new to a pupil group, for example due to staff absence, the school makes sure that they are made aware of the Individual Health Plans and needs of the pupils in their care.
- p. This school/ early years setting ensures that all staff protect pupil confidentiality.
- q. This school informs parents/carers that the Individual Health Plan would be sent ahead to emergency care staff, should an emergency happen during school hours or at a school activity outside the normal school day. This is included on the Individual Health Plan.
- r. The information in the Individual Health Plan will remain confidential unless needed in an emergency.

Use of Individual Health Plans

Individual Health Plans are used by this school to:

- inform the appropriate staff about the individual needs of a pupil with a complex medical need in their care
- identify important individual triggers for pupils with complex medical needs at school that bring on symptoms and can cause emergencies. This school uses this information to help reduce the impact of triggers
- ensure this school's emergency care services have a timely and accurate summary of a pupil's current medical management and healthcare in an emergency

Consent to Administer Medicines

s. If a pupil requires regular prescribed medication at school, parents/carers are asked to provide consent on their CYP's medication plan (form 3a) giving the pupil or staff permission to administer

medication on a regular/daily basis, if required. This form is completed by parents/carers for pupils taking short courses of medication.

t. All parents/carers of pupils with a complex medical need who may require medication in an emergency are asked to provide consent on the Individual Health Plan for staff to administer medication.

Residential Visits

- u. Parents/carers are sent a residential visit form to be completed and returned to school before their CYP leaves for an overnight or extended day visit. This form requests up-to-date information about the pupil's current condition and their overall health. This provides essential and up-to-date information to relevant staff and school supervisors to help the pupil manage their condition while they are away. This includes information about medication not normally taken during school hours (see appendix 5).
- v. All residential visit forms are taken by the relevant staff member on visits where medication is required. These are accompanied by a copy of the pupil's Individual Health Plan.
- w. All parents/carers of pupils with a medical condition attending a school trip or overnight visit are asked for consent, giving staff permission to supervise administration of medication at night or in the morning if required.
- x. The residential visit form also details what medication and what dose the pupil is currently taking at different times of the day. It helps to provide up-to-date information to relevant staff and supervisors to help the pupil manage their condition while they are away (see appendix 5). A copy of the Individual Health Plan and equipment/medication must be taken on off-site activities.
- y. The residential visit/school trip form contains information on a pupil's last tetanus immunisation. A copy of this form is required to be carried on any external visits.

Record of Awareness Raising Updates and Training

- z. This school holds updates on common medical conditions once a year. A record of the content and attendance of the medical condition training is kept by the school and reviewed every 12 months to ensure all new staff receive updates. The School Nursing Service will provide updates if the school request this.
- aa. All school who volunteer or who are contracted to administer emergency medication are provided with training, if needed, by a specialist nurse, doctor or school nurse. The school keeps a register of staff who have had the relevant training; it is the school's responsibility to arrange this (see appendix 4).
- bb. School should risk assess the number of first aiders it needs and ensure the first aiders are suitably trained to carry out their responsibilities. It is recommended that school should have at least one

first aider who has undertaken the paediatric first aid course and must be on the premises and available at all times when CYP are present and must accompany CYP on outings. Training should be compliant with Annexe A of EYFS Statutory Framework:

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/596629/EYFS_STATUTORY_FRAMEWORK_2017.pdf Training

can be accessed through the St. John's Ambulance http://www.sja.org.uk/sja/trainingcourses.aspx or may be provided centrally.

8. This school ensures that the whole school/ early years setting environment is inclusive and favourable to pupils with medical conditions. This includes the physical environment, as well as social, sporting and educational activities.

Physical Environment

- a. This school is committed to providing a physical environment that is as accessible as possible to pupils with medical conditions.
- b. School settings should be encouraged to meet the needs of pupils with medical conditions to ensure that the physical environment at this school is as accessible as possible.
- c. This school's commitment to an accessible physical environment includes out-of-school visits. The school/ early years setting recognises that this may sometimes mean changing activities or locations, or making reasonable adjustments to these arrangements which are proportionate and are implemented to remove any disadvantage that pupils may otherwise be subjected to because of their disability or medical condition, if it is serious.

Social Interactions

- d. This school ensures the needs of pupils with medical conditions are adequately considered to ensure their involvement in structured and unstructured social activities, including during breaks and before and after school/ early years setting.
- e. This school ensures the needs of pupils with medical conditions are adequately considered to ensure they have access to extended school activities such as school discos, breakfast clubs, school productions, after school clubs and residential visits.
- f. All staff at this school are aware of the potential social problems that pupils with medical conditions may experience. Staff use this knowledge to try to prevent and deal with problems in accordance with the school's anti-bullying and behaviour policies.

- g. From September 2020 Relationships, Relationships and Sex Education and Health Education become compulsory for all schools.
 - Compulsory Relationships Education for primary pupils
 - · Compulsory Relationships and Sex Education (RSE) for secondary pupils
 - Health Education become compulsory for all pupils covering both physical and mental health

Schools can begin teaching these statutory subjects in accordance with the new guidance before September 2020, if they wish. This is an ideal opportunity for staff to raise awareness of medical conditions amongst pupils and to help create a positive social environment through health education and personal, social and health education (PSHE) lessons.

Exercise and Physical Activity

- h. This school understands the importance of all pupils taking part in physical education, sports, games and activities.
- i. This school seeks to ensure all classroom teachers, PE teachers and sports coaches make appropriate and proportionate adjustments to sports, games and other activities to make physical activity accessible to all pupils.
- j. This school seeks to ensure that all classroom teachers, PE teachers and sports coaches understand that if a pupil reports they are feeling unwell, the teacher should seek guidance before considering whether they should take part in an activity.
- k. Teachers and sports coaches are aware of pupils in their care who have been advised, by a healthcare professional, to avoid or to take special precautions with particular activities.
- This school ensures all PE teachers, classroom teachers and school sports coaches are aware
 of the potential triggers for pupils' medical conditions when exercising and how to minimise these
 triggers.
- m. This school seeks to ensure that all pupils have the appropriate medication or food with them during physical activity and that pupils take them when needed.
- n. This school ensures all pupils with medical conditions are actively encouraged to take part in out-of-school clubs and team sports.

Education and Learning

o. This school ensures that pupils with medical conditions can participate fully in all aspects of the curriculum and ensures that appropriate adjustments and extra support are provided in accordance with their needs or if there is an individual health plan (IHP) or education and health care plan (EHCP) in accordance with their agreed plan.

- p. Teachers at this school are aware of the potential for pupils with medical conditions to have special educational needs (SEND). Pupils with medical conditions who are finding it difficult to keep up with their studies are referred to the SEND coordinator.
- q. This school ensures that lessons about common medical conditions are incorporated into PSHE lessons and other parts of the curriculum.
- r. Pupils at this school learn how to respond to common medical conditions.

Risk Assessments

- s. Risk assessments are carried out by this school prior to any out-of-school visit or off site provision and medical conditions are considered during this process. This school considers: how all pupils will be able to access the activities proposed; how routine and emergency medication will be stored and administered, where help can be obtained in an emergency, and any other relevant matters.
- t. This school understands that there may be additional medication, equipment or other factors to consider when planning residential visits or off site activities. This school considers additional medication and facilities that are normally available at school. Where pupils medical needs require staff to attend specialist training, trained staff are available at all times and places (including evenings and weekends) where those pupils are participating.
- u. This school carries out risk assessments before pupils start any work experience or off-site educational placements. It is this school's responsibility to ensure that the placement is suitable, including travel to and from the venue for the pupil. Permission is sought from the pupil and their parents/carers before any medical information is shared with an employer or other education provider. Copies of Individual Health Care Plans are sent to off-site placements with parental consent.

Reasonable Adjustments

When considering the reasonableness or proportionality of making any adjustments this School will have regard to:

- (1) The extent to which the adjustment removes the disadvantage,
- (2) The extent to which it is practicable,
- (3) The financial and other costs of making the adjustments,
- (4) The extent to which the step would disrupt the school's activities,
- (5) The financial and other resources available to the school,
- (6) The availability of external financial and other assistance,
- (7) The nature of the school's activities and the size of the undertaking,

(8) The level of disruption to other pupils and their needs or facilities.

In addition, if an adjustment is reasonable to apply then the school will not pass on the cost of making such an adjustment to the pupil or parents/carers.

Legislation and Guidance

Introduction

- Local authorities, school/ early years settings and governing boards are all responsible for the health and safety of pupils in their care.
- Areas of legislation that directly affect a medical conditions policy are described in more detail
 in Supporting Pupils at School with Medical Conditions
 https://www.gov.uk/government/publications/supporting-pupils-at-school-with-medical-conditions--

3

The main pieces of legislation are the Equality Act (2010) the Children & Families Act (2014) and EYFS Statutory Framework (2017). These acts make it unlawful for service providers, including school/ early years settings, to discriminate against disabled people. Other relevant legislation includes the Education Act 1996, the Care Standards Act 2000, the Health and Safety at Work Act etc. 1974, the Management of Health and Safety at Work Regulations 1999 and the Medicines Act 1968.

This section outlines the main points from the relevant legislation and guidance that school should consider when writing a medical conditions policy.

The following Stockport guidelines/policies need to be considered:-

- Department for Education and Department of Health Special Educational Needs and Disability Code of Practice 0-25 years.
- Stockport's STPD Health and Safety Policies
- Head Teachers Toolkit
- Critical Incidents Guidelines
- Visits and Journeys Guidelines
- Records Management and Retention Policies
- Reporting of Injuries, Diseases & Dangerous Occurrences Regulations. (R.I.D.D.O.R)

This form can be downloaded at:

http://intranet/smbcintr/new/content/directorates/bs/hr/shrfirst/documents/RIDDOR.pdf

Managing Medicines in Schools (2005)

This provides guidance from the DFE on managing medicines in schools. The document includes the following chapters:

- developing medicines policies
- · roles and responsibilities
- dealing with medicines safely

 drawing up an Individual Health Plan
- relevant forms.

Medical Conditions at School: A Policy Resource Pack is designed to work alongside Managing Medicines in Schools/ early years settings.

Equality Act (2010) (EA) and The Children and Families Act 2014 (CFA).

- Many pupils with medical conditions are protected by the EA and CFA, even if they don't think
 of themselves as 'disabled'.
- The Equality and Human Rights Commission (EHRC) (previously the Disability Rights Commission) publishes a code of practice for schools/ early years settings, which sets out the duties under the EA and gives practical guidance on reasonable adjustments and accessibility. The EHRC offers information about who is protected by the EA, school's responsibilities and other specific issues.

School/ early years setting s' Responsibilities Include:

- Not to treat any pupil less favourably in any school activities without material and sustainable justification.
- To make reasonable adjustments that cover all activities this must take into consideration factors such as financial constraints, health and safety requirements and the interests of other pupils. Examples of reasonable adjustments can be found in the Department for Education & Department of Health Special Educational Needs and Disability Code of Practice 2015 and is dealt with here on page 19. *
- To eliminate discrimination and promote equality of opportunity in accordance with the provisions
 of Section 149 of the Equality Act 2010, which came in to force on 5 April 2011 relating to the
 public sector equality duty.
- To promote disability equality in line with the guidance provided by the DFE and EHRC through the Disability Equality Scheme.

*DfES publications are available through the DFE.

The Education Act 1996

Section 312 of the Education Act covers CYP with special educational needs, the provisions that need to be made and the requirements local health services need to make to help a local authority carry out its duties.

The Care Standards Act 2000

This act covers residential special schools and responsibilities for schools in handling medicines.

Health and Safety at Work Act etc. 1974

This act places duties on employers for the health safety and welfare of their employees and anyone not in their employment who may be affected by the activity. This covers the head teacher and teachers, non-teaching staff, pupils, visitors and contractors.

Management of Health and Safety at Work Regulations 1999

These regulations require employers to carry out risk assessments, manage the risks identified and to communicate these risks and measures taken to employees.

Medicines Act 1968

This act specifies the way that medicines are prescribed, supplied and administered.

Additional Guidance

Other guidance resources that link to a medical conditions policy include:

- Department for Education & Department of Health Special Educational Needs and Disability Code of Practice 2015.
- Equality Act 2010: Advice for Schools.
- EYFS Statutory Framework (2017).
- Reasonable Adjustments for disabled pupils (2012).
- Supporting pupils at school with medical conditions (2014).
- The Mental Capacity Act Code of Practice: Protecting the vulnerable (2005).
- National Service Framework for Children and Young People and Maternity Services (2004) provides standards for healthcare professionals working with CYP including school health teams.
- Health and Safety of Pupils on Educational Visits: A Good Practice Guide (2001) provides guidance to schools when planning educational and residential visits.

- Misuse of Drugs Act 1971 legislation on the storage and administration of controlled medication and drugs.
- Home to School Travel for Pupils Requiring Special Arrangements (2004) provides guidance on the safety for pupils when travelling on local authority provided transport.
- Medical Conditions at School Website http://medicalconditionsatschool.org.uk/
- Supporting Pupils at School with Medical Conditions
 https://www.gov.uk/government/publications/supporting-pupils-at-school-with-medicalconditions--3

Further Advice and Resources

The Anaphylaxis Campaign

PO Box 275
Farnborough
Hampshire GU14 6SX
Phone 01252 546100 Fax
01252 377140
info@anaphylaxis.org.uk
www.anaphylaxis.org.uk

Asthma UK

18 Mansell Street London E1 8AA Helpline 0300 222 5800 Phone 020 7786 4900 Fax 020 7256 6075 info@asthma.org.uk www.asthma.org.uk

Diabetes UK

Wells Lawrence House 126 Back Church Lane London E1 1FH Phone 0345 123 2399*Fax 020 7424 1001 info@diabetes.org.uk www.diabetes.org.uk

Diabetes UK North West

Unit C, 2nd Floor
Dallam Court
Dallam Lane
Warrington
Cheshire WA2 7LT
Phone 01925 653281
Fax 01925 653288
n.west@diabetes.org.uk

Epilepsy Action

New Anstey House Gate Way Drive Yeadon

Leeds LS19 7XY

Phone 0113 210 8800 Fax 0113 391 0300 epilepsy@epilepsy.org.uk www.epilepsy.org.uk

Long-Term Conditions
Alliance

202 Hatton Square 16 Baldwins Gardens London EC1N 7RJ

Phone 020 7813 3637 Fax 020 7813 3640 info@ltca.org.uk www.ltca.org.uk

Department for Education

Sanctuary Buildings Great Smith Street London SW1P 3BT Phone 0870 000 2288

Text-phone/Minicom 01928 794274 Fax 01928 794248 info@dcsf.gsi.gov.uk www.dcsf.gov.uk

Council for Disabled Children

National Children's Bureau 8 Wakley Street London EC1V 7QE Phone 020 7843 1900 Fax 020 7843 6313 cdc@ncb.org.uk www.ncb.org.uk/cdc

National Children's Bureau

8 Wakley Street London EC1V 7QE Phone 020 7843 6000 Fax 020 7278 9512 www.ncb.org.uk

Health Protection Team, Stockport

Public Health
Upper Ground Floor
Stopford House
Stockport SK1 3XE Phone
0161 474 2440
healthprotection@stockport.gov.uk

PHE Health Protection Team 0344 225 0562 Option 1

www.gov.uk/government/organisations/public-health-england St. John Ambulance

Faulkner House
Faulkner Street
Manchester
M1 4DY Phone 0844
770 4800
www.sja.org.uk

APPENDICES

APPENDICES	32
Form 1 - Individual Health Plan	33
Form 1a - Individual Health Plan - Diabetes	38
Form 1b - Individual Health Plan - Epilepsy	54
Action Plan for Allergic Reactions (EpiPen)	59
Action Plan for Allergic Reaction (JEXT)	60
Form 1d - Individual Health Plan - Asthma	61
Template Letter from School Nurse to Parent/Carer	67
Form 3a - Medication Permission & Record - Individual Pupil	
Form 3b - Record of Medication	69
Form 4 - Staff Training Record	70
Form 5 - For Visits and Journeys	71
Giving Paracetamol in Stockport Schools/ Early Years Settings	73
Verbal Consent from Parent / Carer	
Emergency Procedures	75
How to Administer BUCCOLAM	
Administration of Rectal Diazepam	78
Guidance for Schools on the use of Emergency Salbutamol Inhalers	
Asthma Emergency Procedures	
Anaphylaxis Emergency Procedures	
Diabetes Emergency Procedures	
Epilepsy Emergency Procedures	
Management of Needlestick/Sharp Injuries	





METROPOLITAN BOROUGH COUNCIL		NHS Foundation Trust			
Form 1 - Individual Health Plan For pupils with complex medical needs at school/ early years setting					
Date form completed:					
Date for review:					
Reviewed by		Date (dd/mm/yyyy	()	Changes t Health Pla	o Individual n
				□Yes	□No
				☐Yes	□No
				☐Yes	□No
Copies held by:					
1. Pupil's Information	<u> </u>				
Name of school/ early years setting:					
Name of Pupil:					
Class/Form					
Date of Birth:			Male Female		
2. Contact Information					
Pupil's Address					
Family Contact Information			Postco	ode:	
Family Contact Information					

a.	Name:	
	Phone (Day):	
	Phone (Evening):	
	Mobile:	
	Relationship with CYP:	
b.	Name:	
	Phone (Day):	
	Phone (Evening):	
	Mobile:	
	Relationship with CYP:	
GP		
Naı	me:	
Phone:		
Spo	ecialist Contact	
Naı	me:	
Pho	one:	
Ме	dical Condition Information	
3. Details of Pupil's Medical Cond		nditions
	ns and symptoms of this oil's condition:	
	ggers or things that make this oil's condition/s worse:	
	Routine Healthcare Requirem or example, dietary, therapy, r	ents nursing needs or before physical activity)

During school/ early years setting hours:	
Outside school/ early years setting hours:	
5. What to do in an Emergency	
Signs & Symptoms	
In an emergency, do the following:	
6. Emergency Medication (Please complete even if it is the	e same as regular medication)
Name/type of medication (as described on the container):	
How the medication is taken and the amount:	
Are there any signs when medication should not be given?	
Are there any side effects that the school/ early years setting needs to know about?	
Can the pupil administer the medication themselves?	☐ Yes ☐ No ☐ Yes, with supervision by:
(please tick box)	Staff members name:
Is there any other follow-up care necessary?	
Who should be notified?	☐ Parents Carers ☐
(please tick box)	☐ Specialist ☐ GP
7. Regular Medication taken dur	ing School/ Early Years Setting Hours

Name/type of medication (As described on the container):	
Dose and method of administration (The amount taken and how the medication is taken, e.g. tablets, inhaler, injection)	
When it is taken (Time of day)?	
Are there any side effects that could affect this pupil at school/ early years setting?	
Are there are any contraindications (Signs when this medication should not be given)?	
Self-administration: can the pupil administer the medication themselves?	(Tick as appropriate) ☐ Yes ☐ No ☐ Yes, with supervision by:
	Staff member's name:
Medication expiry date:	
<u> </u>	side of School/ Early Years Setting Hours d to inform planning for residential trips)
Name/type of medication (as described on the container):	
Are there any side effects that the school/ early years setting needs to know about that could affect school/ early years setting activities?	
9. Members of Staff Trained to A	Administer Medications for this Pupil
Regular medication:	

10. Any Other Information Relat	ting to the Pupil's Healthcare in School/ Early Years Setting?				
Parental and Pupil Agreement					
=	on contained in this plan may be shared with individuals involved ation (this includes emergency services). I understand that I must ng of any changes in writing.				
Signed (Pupil)					
Print Name:					
Date:					
Signed (Parent/Carer) (If pupil is below the age of 16)					
Print Name:					
Date:					
Healthcare Professional Agreen	Healthcare Professional Agreement				
I agree that the information is accurate and up to date.					
Signed:					
Print Name:					
Job Title:					
Date:					

Permission for Emergency Medication

agree that I/my CYP can be administered my/their medication by a member of staff in an					
emergency					
I agree that my CYP cannot keep their medication with them and the school/ early years					
setting will make the necessary medication storage arrangements					
I agree that I/my CYP can keep my/their medication with me/them for use when necessary					
Name of medication carried	·				
by pupil:					
Signed (Parent/Carer)					
Date	Date				
Headteacher Agreement					
Headteacher Agreement					
Headteacher Agreement It is agreed that (name of CYP):					
It is agreed that (name of CYP): will receive the above liste	ed medication at the above listed time (see part 7).				
It is agreed that (name of CYP): will receive the above listed will receive the above listed.	ed medication at the above listed time (see part 7). ed medication in an emergency (see part 6).				
It is agreed that (name of CYP): will receive the above listed will receive the above listed This arrangement will continue to the second sec	ed medication at the above listed time (see part 7). ed medication in an emergency (see part 6). until:				
It is agreed that (name of CYP): will receive the above listed will receive the above listed This arrangement will continue to the second sec	ed medication at the above listed time (see part 7). ed medication in an emergency (see part 6).				
It is agreed that (name of CYP): will receive the above listed will receive the above listed This arrangement will continue to the second sec	ed medication at the above listed time (see part 7). ed medication in an emergency (see part 6). until:				
It is agreed that (name of CYP): will receive the above listed will receive the above listed. This arrangement will continue (Either end date of course of me	ed medication at the above listed time (see part 7). ed medication in an emergency (see part 6). until:				



Supported by



INDIVIDUAL HEALTH CARE PLAN FOR A CHILD OR YOUNG PERSON IN THE EDUCATION SETTING WHO HAS DIABETES

Contents:

Definitions	36
CYP's Information	37
CYP's Information Monitoring Blood Glucose Levels	38
Insulin Administration with Meals	
Insulin Administration	39
Suggested Daily Routine	40
Sporting Activity/Day Trips & Residential Visits	40
Hypoglycaemia	41
Hyperglycaemia	.4 4
References	

This health care plan will capture the key information and actions that are required to support this child or young person (CYP) in school/ early years setting. It will have the CYP best interests in mind and ensure that school/ early years setting assesses and manages risks to the pupils' education, health and social well-being and minimize disruption in the school/ early years setting day. It should be reviewed at least annually.

1 Definitions

IHCP	Individual Health Care Plan
CYP	Child or Young Person
HYPO	Hypoglycaemia
СНО	Carbohydrate
BG	Blood Glucose

39

2 CYP'S INFORMATION

2a. Child / Young Person Details

Child's Name:	Year group:	
Hospital/NHS number:	DoB:	

Nursery/School/ early y setting /College: Post co		
Child's Address:		
Town:		
County:		
Postcode		
Type of Diabetes:	Pleas	e select
Other medical condition	is:	
Allergies:		
Date:	Docu	ment to be Updated:
2b. Family Contact	t Information	
Name		
Relationship		
	Home	
Telephone Number	Work	
	Mobile	
Email		
Name		
Relationship		
	Home	
Telephone Number	Work	
	Mobile	
Email		•
Name		
Relationship		
	Home	
Telephone Number	Work	
	Mobile	
Email		

2c. Essential Information Concerning This Child /Young Persons Health Needs

Contacts			Contact Number	
Children's Diabetes Nurses:				
emarch's blubetes Nurses.				
Key Worker:				
Consultant Paediatrician:				
General Practitioner:				
Link Person in Education:				
School/ early years setting email contact:				
Class Teacher:				
Health Visitor/School Nurse:				
SEND Co-ordinator:				
Other Relevant Teaching Staff:				
Other Relevant Non-Teaching Staff:				
Head teacher:				
his CYP has DIABETES, requiring treatment with (check which applies):				
Multi-dose regime i.e. requires insulin with all meals:				
Insulin Pump Therapy: Please sele		ct		
3 injections a day (no injections in school/ early years setting):				
2 injections a day (no injections in school/ early years setting):				
Other - please state:				

Pupils with Diabetes will have to attend clinic appointments to review their condition. Appointments are typically every 3 months, but may be more frequent .These appointments may require a full day's absence. Education authority staff should be released to attend the necessary diabetes training sessions, in accordance with national guidance.

3 MONITORING BLOOD GLUCOSE LEVELS

The CYP has a blood glucose monitor, so they can check their blood glucose (BG). BG monitoring is an essential part of daily management; where ever possible CYP should be encouraged to take responsibility for managing their own medicines and BG equipment in school/ early years setting. They should be allowed to carry their equipment with them at all times and their equipment must not be shared.

1	Check	which	anni	ies)
١	CHECK	WILL	upp	163)

BG checks to be carried out by a trained adult, using a Fastclix / Multiclix device.	
This CYP requires supervision with blood glucose monitoring.	
This CYP is independent in BG monitoring.	
procedure should be carried out:	
 In class or if preferred, in a clean private area with hand washing facilities. 	
Hands to be washed prior to the test.	
• Blood glucose targets pre meal - mmol/L and - mmol/L 2 hours after meals (NICE guidelines 2015 recommend BG levels of 4-7 mmol/L pre meal and 5-9 mmol/L post r	maals)

4 INSULIN ADMINISTRATION WITH MEALS

Check if applies \square if not, go to section 5

There are a wide range of different blood glucose meters available, some have a built in automated bolus calculator.

Lancets and blood glucose strips should be disposed of safely.

(Check which applies)

Insulin to be administered by a suitably trained adult, using a pen needle that complies with national and local sharps policy	
Supervision is required during insulin administration	
This young person is independent, and can self-administer the insulin	
This CYP is on an insulin pump (see further information below and section 8.2 page 8)	

The child or young person requires variable amounts of quick acting Insulin, depending on how much they eat. (Check which applies)

They have a specific Insulin to carbohydrate (CHO) ratio (I:C)			
They are on set doses of insulin			

This procedure should be carried out:

- In class, or if preferred in a clean private area with hand washing facilities

 Should always use their own injection device; or sets.
- All used needles should be disposed of in accordance with the school/ early years setting's local policy

_	INCIII	IN A	DMIN	JICTR	ATION
_					~

Delivered via pen device:	Delivered via insulin pump:	

Insulin Name	Time	Process
Please select		
Other:		
Insulin Name	Time	Process
Please select		
Other:		
Insulin Name	Time	Process
Please select		

Other:			
Insulin Na ne		Time	Process
Please sel∋ct			
Other:			
Insulin Na ne		Time	Process
Please sel <u>:</u> ct			
Other:			
NOTE: See 8		<u>-</u>	·
		6 SUGG	ESTED DAILY ROUTINE
	Time		Note
Arrive School/			
early years setting			
3			
Morning Break			
Lunch			
Afternoon Break			
School/ early years setting finish			
Other			
Please refer to 'Ho	ome-school'	communic	ation diary
Please refer to Sch			·· /
Case refer to sen	oot planner		

7 SPORTING ACTIVITY/ DAY TRIPS AND RESIDENTIAL VISITS

Governing bodies should ensure that risk assessments, planning and arrangements are clear to ensure this CYP has the opportunity to participate in all sporting activities. School/ early years setting should ensure reasonable adjustments as required.

Specific instruct Pump therapy: E sports the pump disconnected (NEVER exceed Please keep safe	Ouring contact o should be 60 minutes).					
disconnected.						
Extra Snacks a required: PRE EXERCISE						
POST-EXERCIS	Ε					
•	('H	_	Blood	LYCAEMIA I Glucose') BG: Below 4 nol/l.	1	,
INDIVIDUAL HYPO- SYMPTOMS FOR THIS CYP ARE:	Pale Sudden Char personality Crying Moody Hungry	ige of		Poor Concentration Sleepy Shaking Visual changes		Other:

How to treat a hypo:

- If possible, check BG to confirm hypo, and treat promptly: see 8a.
- Do not send this child or young person out of class unaccompanied to treat a hypo.
- Hypos are described as either mild/moderate or severe depending on the individual's ability to treat him/her.
- The aim is to treat, and restore the BG level to above mmol/L. (ISPAD guidelines recommend)

5.6mmol/L) (See 8a).

A Hypo box should be kept in school/ early years setting containing fast acting glucose and long acting carbohydrate. Staff, and the CYP should be aware of where this is kept and it should be taken with them around the school/ early years setting premises; if leaving the school/ early years setting site; or in the event of a school/ early years setting emergency. It is the parent's/carers responsibility to ensure this emergency box is adequately stocked; independent young people will carry hypo remedies with them.

8a. Treatment of Hypoglycaemia

BG below 4mmol/l

MILD/ MODERATE

Can he/she eat & drink independently?



Follow steps 1-4

<u>Step 1</u>. Give fast acting rapidly absorbed simple CHO promptly.

Step 2. Re-measure BG 15 minutes later

Step 3. If BG still below mmol/l:

Repeat step 1

If BG above mmol/l: Step 4

For some CYP an extra snack may be required (especially if the next meal is 1-2 hours away)



Step 1





SEVERE

Is he/she
semiconscious;
unconscious;
convulsing or
unable to take
anything by
mouth?




Personalised Treatment Plan


- □ Place the CYP in the recovery position
- □ Nil by mouth
- □ **DIAL 999**
- In exceptional circumstances, in the availability of a trained and competent member of staff: they can administer the Glucagon/ GlucaGen Hypokit injection:
 - 0.5mg (half dose) for less than 8 years old (or body weight is less than 25kg)

1mg (full dose): if over 8 years of age.

- □ Never leave him/her alone
- □ Contact parents/carers.
- □ When fully awake follow steps 1-4 above.
- □ A severe hypo may cause vomiting.
- On recovery the CYP should be taken home by parents/carers.

Additional information regarding hypoglycaemia for this CYP:






CYP who have with diabetes may experience high blood glucose (hyperglycaemia) when the blood glucose levels are above mmol/L.


*** IF THIS CYP IS ON INSULIN PUMP THERAPY PLEASE REFER DIRECTLY TO 9b ***

If the CYP is well, there is no need for them to be sent home, but parents/guardian should be informed at the end of the day that the CYP has had symptoms of high blood glucose


Treatment of Hyperglycaemia For A CYP On Injections 9a.



Test BG before next meal



9b. Treatment of Hyperglycaemia for a CYP on Pump Therapy



9c. I	Blood (3 –Ketone	monitoring	Guide:

- Below 0.6mmol/L
 Normal range
- Between 0.6-1.5mmol/L
 High risk SEEK UGENT ADVICE

Additional	information
regarding B B	lood -Ketone
monitoring fo	or this CYP:

- School/ early years setting to be kept informed of any changes in this child or young person's management (see page 6-7).
- The CYP with diabetes may wear identification stating they have diabetes. These are in the form of a bracelet, necklace, watch or medical alert card.
- During EXAMS, reasonable adjustments should be made to exam and course work conditions if necessary, this should be discussed directly with this CYP.
 This CYP should be allowed to take into the exam the following: blood glucose meter, extra snacks; medication and hypo treatment.
- Specific extra support may be required for the CYP who has a long term medical condition regarding educational, social and emotional needs- for example, during periods of instability, during exams, catching up with lessons after periods of absence, and counselling sessions.

specifically important for him/her:			

This IHCP has been initiated and updated in consultation with the CYP, family; diabetes specialist nurse and a member of staff from the educational setting.

	Name	Signatures
Date		
Young person		

					, ,,		, , , , , , , , , , , , , , , , , , ,
Parents/carers							
Parents/carers agreem to administration of medicine as documents on page 3 and 4							
Diabetes Nurse Special	ist:						
School/ early years set Representative:	ting						
Health visitor/ School Nurse:							
The following should	ld alw	ays be available in	n school/ e	early years se	etting, please o	check:	
Hypo treatment: fa	ıst acti	ing glucose		Insulin pen needles.	and appropria	te pen	
Gluco gel/ Dextroge	el				reservoir for	pump set	
Finger prick device,	, BG m	nonitor and strips		Spare batter	v		
Ketone testing mon				Up to date c			
Snacks		r			/ -		
Governing bodies a training. Training l		oonsible to ensure	adequate	members of	staff have red	ceived sui	itable
Governing bodies a	log:	oonsible to ensure	adequate	members of	staff have red		itable ate
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		
Governing bodies a training. Training l	log:		adequate	members of	1		

ΔΡ	PF	ПI)I)	(1	l ₋ I	lŀ	4	ļ

^{**}See Training Log in school/ early years setting **

10 References:

- Supporting pupils at school with medical conditions. Department of Education. September 2014.
- NICE clinical guideline NG18: Diabetes (type 1 and type 2) in children and young people, diagnosis and management.. August 2015
- Managing Medicines in School and . Department of Health. 2005
- ISPAD Clinical Practice Consensus Guidelines, 2014
- Making Every Young Person With Diabetes Matter. Department of Health. 2007.

THIS CARE PLAN HAS BEEN DESIGNED BY A SUB-GROUP LEAD BY

Sandra Singleton, Children and Young People's Diabetes Specialist Nurse/ Team Leader. With Margot Carson, Children and Young People's Diabetes Network Coordinator - North West of England Elaine McDonald, Children and Young People's Diabetes Specialist Nurse/ Team Leader. Dawn Anderson Children's and Young people's Diabetes Specialist Nurse Linda Connellan, Children and Young People's Diabetes Specialist Nurse

Jill Cullen, Specialist Community Practitioner School Nursing

Jayne Johnson, Staff Nurse School Nursing.

Helen Nurse Families with Diabetes National Network

Paula Maiden Families with Diabetes National Network

Daniel Hyde IT technical support

Acknowledgments:

The sub-group from the 'Children and Young People's North West Diabetes Network' would like to thank the following regional 'Children and Young People's Diabetes Network' teams for their helpful advice, support and input in the development of this document:

Birmingham Children's Hospital
Cambridge University Hospitals NHS Foundation Trust
Chelsea & Westminster NHS Foundation Trust
Glangwili General Hospital
Leeds Children's Hospital
North Somerset Community Partnership
North Tyneside General Hospital
Nottingham Teaching Hospitals NHS Trust
Oxford University Hospitals NHS Foundation Trust
Salisbury District Hospital

Review date: January 2018.



Copyright © 2016 National Children and Young People's Diabetes Network



APPENDIX 1 - IHP



Winner of the Excellence in Diabetes Specialist Nursing Awards At the Nurse Standard Nurse Awards 2015.





Form 1b - Individual Health Plan - Epilepsy For pupils diagnosed with Epilepsy at school/ early years setting who need rescue medication Date form completed: Date for review: Changes to Reviewed by **Date Individual Health** (dd/mm/yyyy) Plan □No Yes \square No Yes Yes □ No Copies held by: 1. Pupil's Information Medical Condition: Name of school/ early years setting: Name of Pupil: Class/Form Date of Birth: Male Female | 2. Contact Information Pupil's Address: Postcode: **Family Contact Information**

APPENDIX 1B - EPILEPSY

a.	Name:	
	Phone (Day):	
	Phone (Evening):	
	Mobile:	
	Relationship with CYP:	
b.	Name:	
	Phone (Day):	
	Phone (Evening):	
	Mobile:	
	Relationship with CYP:	
Spe	cialist Contact	
Nan	ne:	
Pho	ne:	
Con	sultant	
Nan	ne:	
Pho	ne:	
Ме	dical Condition Information	
3. I	Details of Pupil's Medical Cor	nditions - Seizure Description
Тур	pe 1	
Тур	pe 2	
Тур	pe 3	
	ggers or things that make this oil's condition/s worse:	
	Routine Healthcare Requirem r example, dietary, therapy, n	ents ursing needs or before physical activity)
Ro	utine Requirements	

APPENDIX 1B - EPILEPSY

Record any seizures on the daily seizure record	
5. What to do in an Emergency	
Emergency Procedures	
6. Emergency Medication (Please complete even if it is the	e same as regular medication)
Name/type of medication (as described on the container):	
Describe what signs or symptoms indicate an emergency for this pupil:	
Dose and method of administration (how the medication is taken and the amount)	
Are there any contraindications (signs when medication should not be given)?	
Are there any side effects that the school/ early years setting needs to know about?	
Self-administration:	Can the pupil administer the medication themselves? (Tick as appropriate) Yes No Yes, with supervision by: Staff member's name:
Is there any other follow-up care necessary?	
Who should be notified?	☐ Parents Carers ☐
	☐ Specialist ☐ GP

7. Regular Medication taken during School/ Early Years Setting Hours			
Name/type of medication (As described on the container):			
Dose and method of administration (The amount taken and how the medication is taken, e.g. tablets, inhaler, injection)			
When it is taken (Time of day)?			
Are there any side effects that could affect this pupil at school/ early years setting?			
Are there are any contraindications (Signs when this medication should not be given)?			
Self-administration: can the pupil administer the medication themselves?	(Tick as appropriate) ☐ Yes ☐ No ☐ Staff member's name: Yes, with supervision by:		
Medication expiry date:			
Medication expiry date.			
9	tside of School/ Early Years Setting Hours d to inform planning for residential trips)		
Name/type of medication (as described on the container)			
Are there any side effects that the school/ early years setting needs to know about that could affect school/ early years setting activities?			
9. Any other information relating	g to the pupil's healthcare in school/ early years settings		

Permission for Emergency M	edication
☐ I agree that my CYP car setting	e administered my/their medication by a member of staff in an emergency nnot keep their medication with them and the school/ early years will make the necessary medication storage arrangements an keep my/their medication with me/them for use when necessary.
Name of medication carried by pupil:	
Signed (Parent)	
Date	
Headteacher Agreement	
will receive the above listed. This arrangement will continue.	ed medication at the above listed time (see part 6). ed medication in an emergency (see part 7).
Signed (Headteacher)	
Print Name:	
Date:	
Parental and Pupil Agreemen	ıt .
I agree that the medical information	ation contained in this plan may be shared with individuals involved
with my/my child's care and edinotify the school/ early years se	ucation (this includes emergency services). I understand that I must etting of any changes in writing.
Signed (Pupil)	
Print Name:	
Date:	

APPENDIX 1B - EPILEPSY

Signed (Parent/Carer) If pupil is below the age of 16)	
Print Name:	
Date:	
Healthcare Professional Agre	ement
I agree that the information is a	ocurate and up to date.
Signed:	
Signou.	
Print Name:	


APPENDIX 1C



Allergy Action Plan



THIS CHILD HAS THE FOLLOWING ALLERGIES:



How to give EpiPen[®]



Form fist around FpiPen® and PULL OFF BLUE SAFETY CALL



SWING AND PUSH CRANGE TIF against outer thigh (with an without clothing; until a click is heard



HOLD FIRMLY in place for 10 seconds



REMOVE EpiPen* Massage njection

Keep your EpiPen device(s) at room temperature,

do not rettigerale. For more information and to register for a free reminder alert service, go to www.epipen.co.uk

Patient support groups:

http://www.allergyuk.org or www.anaphylaxds.org.uk

@The British Society for Allergy & Clinical Im Approved Oct 2013 www.bsaol.org

Mild-moderate allergic reaction:

- Swollen lips, face or eyes
- Itchy / tingling mouth
- · Abdominal pain or vomiting
- Hives or itchy skin rash
- · Sudden change in behaviour

ACTION:

- · Stay with the child, call for help if necessary
- Give antihistamine:
- Contact parent/carer

(if vomited, can repeat dose)

Watch for signs of ANAPHYLAXIS (life-threatening allergic reaction):

AIRWAY: Persistent cough, hoarse voice,

difficulty swallowing, swollen tongue

BREATHING: Difficult or noisy breathing,

wheeze or persistent cough

Consciousness: Persistent dizziness / pale or floppy

suddenly sleepy, collapse, unconscious

If ANY ONE of these signs are present:

- 1. Lie child flat. If breathing is difficult, allow to sit
- 2. Give EpiPen® or EpiPen® Junior
- 3. Dial 999 for an ambulance* and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

If in doubt, give EpiPen®

After giving Epipen:

- 1. Stay with child, contact parent/carer
- 2. Commence CPR if there are no signs of life
- If no improvement after 5 minutes, give a further EpiPen[®] or alternative adrenaline autoinjector device, if available

"You can dial 999 from any phone, even if there is no credit left on a mobile. Medical observation in hospital is recommended after anaphylaxis.

Additional instructions:	
This is a medical document that can only be con altered without their permission.	repleted by the policers's treeting health professional and cannot be
This plan has been prepared by:	
Hospital/Clinic:	
2	Date:

Medical Conditions in Schools - September 2019

APPENDIX 1D - IHP ASTHMA

APPENDIX 1C





Allergy Action Plan



THIS CHILD HAS THE FOLLOWING ALLERGIES:

DOB:		
	Photo	
Emerge 1)	ency contact details:	
´ 🕿		
2) _		
*	Child's	
	Weight	

How to give Jext®



Form flst around Jext® and PULL OFF YELLOW SAFETY CAP



PUSH DOWN HARD until a click is heard or felt and hold in place for 10 seconds



PLACE BLACK END against outer thigh (with or without clothing)



REMOVE Jext[®]. Massage injection site for 10 seconds

6/The British Society for Allergy & Clinical Immunology, 09/2017

Mild-moderate allergic reaction:

- · Swollen lips, face or eyes
- . Itchy / tingling mouth
 - outh Abdominal pain or vomiting
- Hives or itchy skin rash
- Sudden change in behaviour

ACTION:

- . Stay with the child, call for help if necessary
- · Locate adrenaline autoinjector(s)
- · Give antihistamine:
- · Phone parent/emergency contact

(if vomited, can repeat dose)

Watch for signs of ANAPHYLAXIS

(life-threatening allergic reaction)

Anaphylaxis may occur without skin symptoms: ALWAYS consider anaphylaxis in someone with known food allergy who has SUDDEN BREATHING DIFFICULTY

Airway: Persistent cough, hoarse voice

difficulty swallowing, swollen tongue Breathing: Difficult or noisy breathing.

HING: Difficult or noisy breathing, wheeze or persistent cough

Consciousness: Persistent dizziness / pale or floppy

suddenly sleepy, collapse, unconscious

If ANY ONE (or more) of these signs are present:

1. Lie child flat:

(If breathing is difficult, allow child to sit)







- 2. Use Adrenaline autoinjector (eg. Jext) without delay
- 3. Dial 999 for ambulance and say ANAPHYLAXIS ("ANA-FIL-AX-IS")

*** IF IN DOUBT, GIVE ADRENALINE ***

After giving Adrenaline:

- 1. Stay with child until ambulance arrives, do NOT stand child up
- 2. Commence CPR if there are no signs of life
- 3. Phone parent/emergency contact
- If no improvement after 5 minutes, give a 2nd adrenaline dose using a second autoinjector device, if available.

You can dial 999 from any phone, even if there is no credit left on a mobile Medical observation in hospital is recommended after anaphylaxis.

Additional Instructions:	
	ompleted by the child's healthcare professional. It must not be allesed
	ies medical authorisation for schools to administer a 'spare' back-up y the Human Medicines (Amendment) Regulations 2017.
This plan has been prepared by:	
BIGN & PRINT NAME:	
Hospital/Clinic:	59
2	Date:





	METROPOLITAN BOROUGH COUNCIL	NHS Foundation	irust	
	m 1d - Individual He		ng	
Date form completed:				
Date for review:				
Reviewed by		Date (dd/mm/yyyy)	Changes to Individual Health Plan	
			☐ Yes ☐ No	
			☐ Yes ☐ No	
			☐ Yes ☐ No	
Copies held by:				
1. Pup	oil's Information			
Medical Condition:				
Name of school/ early years setting :				
Name of Pupil:				
Class/Form				
Date of Birth:		Male Female		
2. Cor	ntact Information			
Pupil's Address				
		Postcode:		
Family	y Contact Information			
a.	Name			
	Phone (Day)			

	Phone (Evening)	
	Mobile	
	Relationship with CYP	
b.	Name	
	Phone (Day)	
	Phone (Evening)	

APPENDIX 1D - IHP ASTHMA

	Mobile		
	Relationship with CYP		
GP			
Name			
Phone			
Specia	alist Contact		
Name			
Phone			
Medic	al Condition Information		
3. Deta	ails of Pupil's Medical Con	ditions	
Signs and symptoms of this pupil's condition:			
Triggers or things that make this pupil's condition/s worse:			
	itine Healthcare Requireme xample, dietary, therapy, r		hysical activity)
During hours:	school/ early years setting		
Outside school/ early years setting hours:			
5. Wha	at to do in an Emergency (Asthma UK Guidelines)	
Common signs of an Asthma attack:		° Coughing ° Shortness of Breath ° Being unusually quiet	WheezingTightness in the chestDifficulty in speaking full sentences

KEEP CALM - DO NOT PANIC ENCOURAGE THE CHILD TO SIT UP AND FORWARD - DO NOT HUG THEM OR LIE THEM DOWN MAKE SURE THE PUPIL TAKES ONE PUFF OF THEIR RELIEVER INHALER (USUALLY BLUE) USING THEIR SPACER **ENSURE TIGHT CLOTHING IS LOOSENED REASSURE THE PUPIL**

ONE PUFF OF THEIR RELIEVER EVERY MINUTE UP

THEIR INHALER UNTIL THE AMBULANCE ARRIVES.

TO 10 TIMES, OR UNTIL THEIR SYMPTOMS IMPROVE.
CALL 999 URGENTLY IF:
THEIR SYMPTOMS DO NOT IMPROVE AFTER 10
PUFFS
THEY ARE TOO BREATHLESS TO TALK
THEIR LIPS ARE BLUE OR IF IN ANY DOUBT
CONTINUE TO GIVE 1 PUFF EVERY MINUTE OF

6. Emergency Medication (Please complete even if i	t is the same as regular medication)
Name / type of medication (as described on the container):	
Describe what signs or symptoms indicate an emergency for this pupil:	
Dose and method of administration (how the medication is taken and the amount)	
Are there any contraindications (signs when medication should not be given)?	

APPENDIX 1D - IHP ASTHMA

Are there any side effects that the school/ early years setting needs to know about?	
Self-administration:	Can the pupil administer the medication themselves? (Tick as appropriate)
	☐ Yes ☐ No ☐ Yes, with supervision by:
	Staff member's name:
Is there any other follow-up care necessary>	
Who should be notified?	☐ Parents Carers ☐
	☐ Specialist ☐ GP
7. Regular Medication taken	during School/ Early Years Setting Hours
Name/type of medication (As described on the container):	
Dose and method of administration (The amount taken and how the medication is taken, e.g. tablets, inhaler, injection)	
When it is taken (Time of day)?	
Are there any side effects that could affect this pupil at school/ early years setting?	
Are there are any contraindications (Signs when this medication should not be given)?	
Self-administration: can the pupil administer the medication themselves?	(Tick as appropriate)☐ Yes ☐ No ☐ Yes, with supervision by:Staff member's name:
Medication expiry date:	

8. Regular Medication Taken Outside of School/ Early Years Setting Hours (For background information and to inform planning for residential trips)						
Name/type of medication described on the container	· ·					
Are there any side effects to the school/ early years setto needs to know about that could affect school/ early years setting activities?						
9. Any other information settings	relating to the pupil's healthcare in school/ early years					
Permission for Emergence	y Medication					
agree that I/my child can be administered my/their medication by a member of staff in an emergency I agree that my child cannot keep their medication with them and the school/						
	sary medication storage arrangements can keep my/their medication with me/them for use when					
Name of medication carried by pupil:						
Signed (Parent/Carer)						
Date						
Headteacher Agreement						
It is agreed that (name of P	upil):					
will receive the above listed medication at the above listed time (see part 6).						
will receive the above listed medication in an emergency (see part 7).						
This arrangement will conti	nue until:					
(Either end date of course of parents/carers).	of medication or until instructed by the pupil's					

APPENDIX 1D - IHP ASTHMA

Signed (Headteacher)	
Print Name:	
Date:	
Parental and Pupil Agree	ment
individuals involved with m	ormation contained in this plan may be shared with y/my child's care and education (this includes emergency t I must notify the school/ early years setting of any
Signed (Pupil)	
Print Name:	
Date:	
Signed (Parent/Carer) If pupil is below the age of 16)	
Print Name:	
Date:	
Healthcare Professional	Agreement
I agree that the information	is accurate and up to date.
Signed:	
Print Name:	
Job Title:	
Date:	

APPENDIX 2 Template letter from school nurse to parent/carer

Dear Parent/Carer

Re: The Individual Health Plan

Thank you for informing the school/ early years setting of your CYP's medical condition. With advice from the Department for Education and the school/ early years setting's governing bodies, we are working with school/ early years settings to follow our shared medical conditions policy.

As part of this policy, we are asking all parents/carers of CYP with a complex medical need to help us by completing an Individual Health Plan for their CYP. Please complete the plan enclosed and return it to me at If you would prefer to meet me to complete the Individual Health Plan or if you have any questions then please contact me on [insert school nurse contact number].

Your CYP's completed plan will store helpful details about your CYP's medical condition, current medication, triggers, individual symptoms and emergency contact numbers. The plan will help school/early years setting staff to better understand your CYP's individual condition.

Please make sure the plan is regularly checked and updated and the school/ early years setting and school nurse are kept informed about changes to your CYP's medical condition or medication. This includes any changes to how much medication they need to take and when they need to take it.

Thank you for your help.

Yours sincerely

APPENDIX 3A - MEDICATION PERMISSION & RECORD

Form 3a – Medication Permission & Record – Individual Pupil

STOCKPOF METROPOLITAN BOROUGH CO		Stockport NHS Foundation Trust	NHS			
Form 3a – Medication Peri Individual Pupil	Form 3a – Medication Permission & Record – Individual Pupil					
Name of school/ early years setting:						
Name of Pupil:						
Class/Form:						
Date medication provided by parent:						
Name of medication:						
Dose and Method: (how much and when to take)						
When is it taken (time)						
Quantity Received:						
Expiry Date:						
Date and quantity of medication returned to parent:						
Any other information:						
Staff signature:						

Print name:	
Parent/Carer Signature:	
Print name:	
Parent/Carer Contact Number:	

APPENDIX 3B RECORD OF MEDICATION





Form 3b – Record of Medication

Date	Pupil's Name	Time	Name of Medication	Dose Given	Any Reactions	Signature of Staff Member	Print Name

69 |





METROPOLITAN BOROUGH COUNCIL		NHS Foundation Trust			
Form 4 – Staff T	raining Red	cord			
Name of school/ early years setting:					
Type of training received:					
Date training completed:					
Training provided by:					
Trainer Job Title and Profession:					
I confirm that the people	e listed above ha	ve received this training			
Name of people attending	Name of people attending training				
1.					
2.					
3.					
4.					
5.					
1					
Trainer's Signature:					
Date:					
Use a separate sheet if more than five people have received training		ple have received training			
I confirm that the people	e listed above ha	ive received this training			
Headteacher signature:					
Print Name:					

Date:	
Suggested date for update training:	

		APPENI	DIX 5 FORM FOR VISITS AND JOURNEYS
3/30	OCKPORT OLITAN BOROUGH COUNCIL		Stockport NHS Foundation Trust
Form 5 - fo	or Visits and Jo	ourneys	S
This form is to b (date):	e returned by		
School/ Early Years Setting or Youth Centre:			
Course or Activi	ty		
Date of Course/	Activity:		
	·		
Student Details			
Surname:			
Forename(s):			
Date of Birth			
		_	
Medical Inform	ation		
		Please indicate	
Does your son/daughter suffer from any illness or physical disability?		☐ Yes	If so, please describe:
If medical treatment is required, please describe:			
To the best of your knowledge has she/he been in contact with any contagious or infectious disease during the past four weeks?		☐ Yes No	If so, please give brief details:

Is he/she allergic to any medication:	☐ Yes No	If so, please give brief details:
*Has your son/daughter received a tetanus injection in the last 5 years?	☐ Yes	
Please indicate any special dietary requirements due to medical, religious or moral reasons:		

	APPENDIX 5 FORM FOR VISITS AND JOURNEYS	
Parental Declaration		
I give permission for my daughted described, including all organise	· · · · · · · · · · · · · · · · · · ·	
I undertake to inform the visit org change in medical circumstance	ganiser or the Headteacher as soon as possible of any relevant s occurring before the journey.	
I hereby authorise any accompanying member of staff of the school/ early years setting to give consent to such medical treatment as is considered necessary for my CYP by a qualified medical practitioner during the visit.		
I understand the extent and limit	ations of the insurance cover provided.	
Contact Information		
Address:		
Home Telephone No.		
Work Telephone No.		
Emergency contact address if different from that above		
Address:		

^{*} This may have been as part of the routine vaccination programme. Please check either the child's RED book or GP.

Tel No.	
Name of Family Doctor:	
Telephone Nos.	
Address:	
Signed: Parent/Guardian	

APPENDIX 6

Giving Paracetamol in Stockport Schools/ Early Years Settings

Form 3a should be completed for each CYP for written permission to give regular paracetamol.

Verbal consent from the parent, carer or young person should be obtained prior to giving a dose of paracetamol to CYP.

School/ early years setting should seek information from parents/carers about which medicines the CYP has taken.

NB Paracetamol is an everyday drug, but it is potentially dangerous if too much is taken. Be careful to keep it out of the reach of children.

Many medicines that you can buy for colds or pain contain paracetamol (this information is given on the label). Do not give such medicines to a CYP at the same time, or four hours before or after giving paracetamol.

If the paracetamol does not seem to be helping the CYP's pain, contact the parent or carer for advice. Do not give extra doses of paracetamol.

Write down the time, date and CYP's name each time that you give paracetamol and ensure that you do not give too much.

Make sure that the medicines you have at school/ early years setting have not reached the 'best before' or 'use by' date on the packaging. Give out of date medicines to your pharmacist to dispose of.

The following questions are intended to guide your decision making and prevent paracetamol overdose.

APPENDIX 7

Verbal Consent from Parent/Carer

Name of parent/carer:			
Relationship to young			
person:			
Telephone number			
contacted on:			
Date and Time of phone			
conversation:			
Questions to be read out and a	answered by parent/carer <i>Has</i>		
the young person ever had pro	blems with Paracetamol?	YES	NO
If yes, refer to GP			
Has the young person had any	doses of Paracetamol in the last 24		
hours, if so at what time and w	hat dose was given?		
Leave 4 hours between doses			
	other medication that contains		
Paracetamol in the last 4 hours such as cold or flu remedies?(E.g.			
Lempsip, Beechams, Calpol).			
If yes - do not give any parace			
What dose of Paracetamol doe	es the CYP usually take?		
Refer to bottle or label before administering			
Parent/Guardian fully aware of what they are consenting to and			
knows why you wish to give Paracetamol, please state reason			

Declaration by the person contacting the parent/carer
I have completed the above assessment questionnaire.
I have assessed there are no contraindications and have administered the Paracetamol.
Time and date
Dose

Signature	

Emergency Procedures

Contacting Emergency Services

Dial 999, ask for an ambulance and be ready with the following information:

- 1. Your telephone number.
- 2. Give your location as follows.
- 3. State the postcode.
- 4. Give exact location in the school/ early years setting of the person needing help.
- 5. Give your name.
- 6. Give the name of the person needing help.
- 7. Give a brief description of the person's symptoms (and any known medical condition).
- 8. Inform ambulance control of the best entrance and state that the crew will be met at this entrance and taken to the pupil.
- 9. Do not hang up until the information has been repeated back to you.
- 10. Ideally the person calling should be with the CYP, as the emergency services may give first aid instruction.
- 11. Never cancel an ambulance once it has been called.

Speak clearly and slowly

Insert school/ early years setting address and postcode

Put a completed copy of this form by phones around the school/ early years setting

How to Administer BUCCOLAM

How to administer BUCCOLAM®▼ (midazolam oromucosal solution)

About BUCCOLAM® (midazolam oromucosal solution)

BUCCOLAM is used to treat prolonged, acute, convulsive seizures in infants, toddlers, children and adolescents (from 3 months to <18 years of age).

- · BUCCOLAM must only be used by parents/carers where the patient has been diagnosed to have epilepsy.
- For infants 3–6 months of age treatment should be provided in a hospital setting where monitoring is possible and resuscitation equipment is available.

BUCCOLAM is supplied in age-specific, pre-filled, needle-free, oral syringes.

- Each syringe contains the correct dose prescribed for an individual patient and is contained within a protective plastic tube.
- Syringes are colour-coded according to the prescribed dose for a particular age range.
- Your doctor will prescribe the appropriate dose for the individual patient.




Please refer to the Patient Information Leaflet before using BUCCOLAM. This leaflet also contains full information on contraindications, precautions and all possible side effects.

Do not pass the medicine on to other people to treat their children; it may harm them.

Storage

Keep BUCCOLAM out of the sight and reach of children. Do not refrigerate or freeze. Keep the syringe in the protective plastic tube until use.

Additional information from the healthcare provider:



Step-by-step guide for the administration of BUCCOLAM® (midazolam oromucosal solution)

Before use, always check the expiry date stated on the carton, tube and syringe labels. BUCCOLAM should not be used if any of the protective plastic tubes containing the syringes have been opened or are damaged.

Your doctor or nurse will tell you how long to wait after the start of a seizure before you should give BUCCOLAM.





When someone is having a seizure, it is important that you allow their body to move freely; do not attempt to restrain any movement. You should only move the patient if they are close to immediate danger, e.g. deep water, an open flame or sharp objects. If other people are around, ask them to stay calm and give the patient plenty of room; explain that the patient is experiencing a seizure.



Take one plastic tube, break the tamper-proof seal and remove the syringe containing BUCCOLAM.





Remove and discard the red syringe cap before use to avoid choking. Do not put a needle on the syringe. BUCCOLAM must not be injected. Each syringe is pre-filled with the dose prescribed to be given for *one* treatment.





Gently pull back the patient's cheek, just enough to put the end of the syringe into the side of their mouth, between the gum and cheek (buccal cavity). Angle the syringe to ensure that the end is well within the buccal cavity.





To administer BUCCOLAM, cushion the patient's head with something soft. If the patient is already seated, you may find it easier to support their head against your body, leaving your hands free to administer BUCCOLAM.





Slowly press the syringe plunger to release the full amount of BUCCOLAM into the side of the mouth. Don't try to squirt the liquid into the mouth or release it too quickly, as this may result in spillage. It may be easier to give about half the BUCCOLAM dose into one side of the mouth, and the other half into the other side.





After giving BUCCOLAM, keep the empty syringe to give to a doctor or paramedic so that they know what dose has been given. Make a note of the time BUCCOLAM was given and the duration of the seizure. Watch out for any specific symptoms, such as a change in breathing pattern.





Keep the patient in a comfortable position; it may be helpful to loosen any tight clothing. Be calm and stay with the patient until the seizure is over and they have regained consciousness. They may be tired, confused or embarrassed. Reassure them and be understanding while they rest and regain strength.

Telephone for an ambulance immediately if:

- the seizure does not stop within 10 minutes of giving BUCCOLAM
- you cannot administer BUCCOLAM, or cannot give the full prescribed dose
- the patient's breathing slows down or stops
- you are concerned about the patient.

Never give another dose of BUCCOLAM, even if:

- the seizure does not stop
- · the patient vomits or salivates.

How do I give the Rectal Diazepam?

- Take the tube out of the foil wrapping and remove the safety cap.
- Place the CYP in a suitable position, for example on their side.
- Insert the nozzle of the tube into their bottom (rectum) up to the end of the tube.
- Whilst inserted, squeeze contents of tube and keep squeezing whilst you withdraw the tube.
- Hold the CYP's buttocks together for approximately five minutes.
- If the CYP opens their bowel after you have given the Diazepam, do **not** repeat the dose straight away, as it will be difficult to know how much has already been absorbed.
- If the seizure continues, call an ambulance and explain what has happened or seek medical advice (Please see the section headed 'Contact details').

Does the Rectal Diazepam work immediately?

It can take 5 - 10 minutes for the medicine to be absorbed into the bloodstream.

Do I need to call an ambulance?

It is advisable to call an ambulance as well as giving the Rectal Diazepam if:

- Stated in the IHP.
- The CYP appears to be having difficulty breathing.
- This is the first time Rectal Diazepam has been used on the CYP.
- The seizure has not stopped 10 minutes after using Rectal Diazepam.
- If you think the CYP has been injured during their seizure.

Guidance for school/ early years settings on the use of emergency Salbutamol inhalers

Primary and secondary school/ early years settings now have the option of keeping a Salbutamol (Ventolin) inhaler for emergency use.

This is not a formal requirement; school/ early years settings can decide whether they wish to implement this option and should establish a process for the storage and use of the emergency inhaler (See Medical Conditions in School policy on Office on Line on the link below). https://scwd.stockport.gov.uk/cypd/content/Forms/forms.aspx?bid=95

School/ early years setting processes should be based on the guidance which can be found at https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/360585/guidancee on use of emergency inhalers in school October 2014.pdf

Parental responsibility

It is important to note that existing policies and procedures are not affected by this additional option. The provision of a full and in date inhaler and spacer is still the parents/carers responsibility.

Use of the emergency inhaler

The emergency Salbutamol inhaler should only be used by CYP who have either been diagnosed with asthma and prescribed a Salbutamol inhaler or who have been prescribed a Salbutamol inhaler as reliever medication.

The inhaler can be used if the pupil's prescribed inhaler is not available (for example because it is broken or empty).

Important - new guidance on overuse of reliever inhalers from Asthma UK

Staff should be made aware that a CYP using their reliever (usually blue) inhaler more than three times a week or suddenly using their reliever inhaler more than they normally do has asthma that may not be under control and may be at greater risk of having an asthma attack. Should this be observed, immediate action should be taken to alert the parents/carers and staff should record any actions or discussions.

Benefits of an emergency inhaler

Keeping an inhaler for emergency use will have many benefits. It could prevent an unnecessary and traumatic trip to hospital for a CYP and potentially save their life. Parents/carers are likely to have greater peace of mind about sending their CYP to school/early years setting. Having a protocol that

sets out how and when the inhaler should be used will also protect staff by ensuring they know what to do in the event of a CYP having an asthma attack.

Purchasing inhalers and spacers

We recommend you contact your local pharmacist to discuss your requirements; staff may also be required to present formal identification at the point of purchase.

Further support and training

Asthma awareness training is available free of charge from your school nurse.

Asthma Emergency Procedures

Common signs of an asthma attack:

- + coughing
- + shortness of breath
- + wheezing
- + feeling tight in the chest
- + being unusually quiet
- + difficulty speaking in full sentences
- + sometimes younger children express feeling tight in the chest and a tummy ache.

Do . . .

- + keep calm
- + encourage the pupil to sit up and slightly forward do not hug them or lie them down
- + make sure the pupil takes one puff of their reliever inhaler (usually blue) immediately preferably through a spacer
- + ensure tight clothing is loosened + reassure the pupil.

If there is no immediate improvement

+ Continue with reliever inhaler one puff every minute for 10 minutes.

999

Call an ambulance urgently if any of the following:

- + the pupil's symptoms do not improve after 10 puffs
- + the pupil is too breathless or exhausted to talk
- + the pupil's lips are blue + you are in any doubt.

Ensure the pupil takes one puff of their reliever inhaler every minute until the ambulance arrives.

After a minor asthma attack

+ Minor attacks should not interrupt the involvement of a pupil with asthma in school/ early years setting.

When the pupil feels better they can return to school/ early years setting activities.

+ The parents/carers must always be told if their CYP has had an asthma attack.

Important things to remember in an asthma attack

- + Never leave a pupil having an asthma attack.
- + If the pupil does not have their inhaler and/or spacer with them, send another teacher or pupil to their classroom or assigned room to get their spare inhaler and/or spacer.
- + In an emergency situation school/ early years setting staff are required under common law, duty of care, to act like any reasonably prudent parent.
- + Reliever medicine is very safe. During an asthma attack do not worry about a pupil overdosing.
- + Send a pupil to get another teacher/adult if an ambulance needs to be called.
- + Contact the pupil's parents/carers immediately after calling the ambulance.
- + A member of staff should always accompany a pupil taken to hospital by ambulance and stay with them until their parent arrives.
- + Generally staff should not take pupils to hospital in their own car.

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.

Anaphylaxis Emergency Procedures

Anaphylaxis has a whole range of symptoms

Any of the following may be present, although most pupils with anaphylaxis would not necessarily experience all of these:

- + generalised flushing of the skin anywhere on the body
- + nettle rash (hives) anywhere on the body
- + difficulty in swallowing or speaking
- + swelling of throat and mouth
- + alterations in heart rate
- + signs of breathlessness and/or severe asthma symptoms (see asthma section for more details) + abdominal pain, nausea and vomiting
- + sense of impending doom
- + sudden feeling of weakness (due to a drop in blood pressure) + collapse and unconsciousness.

Do

If a pupil with allergies shows any possible symptoms of a reaction, immediately seek help from a member of staff trained in anaphylaxis emergency procedures. Ensure all members of staff know who is trained.

The trained member of staff should: +

assess the situation

- + follow the pupil's emergency procedure closely. These instructions will have been given by the paediatrician/healthcare professional during the staff training session and/or the protocol written by the pupil's doctor
- + administer appropriate medication in line with perceived symptoms.

999

If they consider that the pupil's symptoms are cause for concern, call for an ambulance

State:

- + the name and age of the pupil
- + that you believe them to be suffering from anaphylaxis
- + the cause or trigger (if known)
- + the name, address and telephone number of the school/ early years setting + call the pupil's parents/carers.

While awaiting medical assistance the designated trained staff should:

- + continue to assess the pupil's condition
- + position the pupil in the most suitable position according to their symptoms.

Symptoms and the position of pupil

- + If the pupil is feeling faint or weak, looking pale, or beginning to go floppy, lay them down with their legs raised. They should NOT stand up.
- + If there are also signs of vomiting, lay them on their side to avoid choking.
- + If they are having difficulty breathing caused by asthma symptoms or by swelling of the airways they are likely to feel more comfortable sitting up.

Do

- + **If symptoms are potentially life-threatening**, give the pupil their adrenaline injector into the outer aspect of their thigh. Make sure the used injector is made safe before giving it to the ambulance crew. Either put it in a rigid container or follow the instructions given at the anaphylaxis training.
- + Make a note of the time the adrenaline is given in case a second dose is required and also to notify the ambulance crew.
- + On the arrival of the paramedics or ambulance crew the staff member in charge should inform them of the time and type of medicines given. All used adrenaline injectors must be handed to the ambulance crew.

After the emergency

+ After the incident carry out a debriefing session with all members of staff involved. + Parents/carers are responsible for replacing any used medication.

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.

Diabetes Emergency Procedures

Hyperglycaemia

If a pupil's blood glucose level is high (over 10mmol/l) and stays high.

Common symptoms:

- + thirst
- + frequent urination
- + tiredness
- + dry skin
- + nausea
- + blurred vision.

Do . . .

Call the pupil's parents/carers who may request that extra insulin be given. The pupil may feel confident to give extra insulin.

999

If the following symptoms are present, then call the emergency services:

- + deep and rapid breathing (over-breathing)
- + vomiting
- + breath smelling of nail polish remover.

Hypoglycaemia

What causes a hypo?

- + too much insulin
- + a delayed or missed meal or snack
- + not enough food, especially carbohydrate
- + unplanned or strenuous exercise
- + drinking large quantities of alcohol or alcohol without food + no obvious cause.

Watch out for:

+ hunger

+ glazed eyes

+ trembling or shakiness

+ pallor

+ sweating

+ mood change, especially angry or aggressive behaviour

+ anxiety or irritability

+ lack of concentration

+ fast pulse or palpitations

+ vagueness +

+ tingling

drowsiness.

Do

Immediately give something sugary, a quick-acting carbohydrate such as one of the following:

- + a glass of Lucozade, coke or other non-diet drink
- + three or more glucose tablets
- + a glass of fruit juice
- + five sweets, e.g. jelly babies +

GlucoGel.

The exact amount needed will vary from person to person and will depend on individual needs and circumstances.

After 10 - 15 minutes recheck the blood sugar again. If it is below 4 give another sugary quick acting carbohydrate.

This will be sufficient for a pump user but for pupils who inject insulin a longer-acting carbohydrate will be needed to prevent the blood glucose dropping again.

- + roll/sandwich
- + portion of fruit
- + one individual mini pack of dried fruit
- + cereal bar
- + two biscuits, e.g. garibaldi, ginger nuts + or a meal if it is due.

If the pupil still feels hypo after 15 minutes, something sugary should again be given. When the CYP has recovered, give them some starchy food, as above.

999

If the pupil is unconscious do not give them anything to eat or drink; call for an ambulance and contact their parents/carers.

Epilepsy Emergency Procedures

First aid for seizures is quite simple, and can help prevent a CYP from being harmed by a seizure. First aid will depend on the individual CYP's epilepsy and the type of seizure they are having. Some general guidance is given below, but most of all it is important to keep calm and know where to find help.

Tonic-clonic seizures

Symptoms:

- + the person loses consciousness, the body stiffens, then falls to the ground
- + this is followed by jerking movements
- + a blue tinge around the mouth is likely, due to irregular breathing
- + loss of bladder and/or bowel control may occur
- + after a minute or two the jerking movements should stop and consciousness slowly returns.

Do . . .

- + protect the person from injury (remove harmful objects from nearby)
- + cushion their head
- + look for an epilepsy identity card or identity jewellery. These may give more information about
- a pupil's condition, what to do in an emergency, or a phone number for advice on how to help
- + once the seizure has finished, gently place them in the recovery position to aid breathing
- + keep calm and reassure the person
- + stay with the person until recovery is complete.

Don't . . . +

restrain the pupil

- + put anything in the pupil's mouth
- + try to move the pupil unless they are in danger

+ give the pupil anything to eat or drink until they are fully recovered. + attempt to bring them round.

999

Call for an ambulance if . . .

- + you believe it to be the pupil's first seizure
- + the seizure continues for more than five minutes
- + one tonic-clonic seizure follows another without the person regaining consciousness between seizures
- + the pupil is injured during the seizure
- + you believe the pupil needs urgent medical attention.

Seizures involving altered consciousness or behaviour Simple partial seizures

Symptoms:

- + twitching
- + numbness
- + sweating
- + dizziness or nausea
- + disturbances to hearing, vision, smell or taste +
- a strong sense of deja-vu.

Complex partial seizures

Symptoms:

- + plucking at clothes
- + smacking lips, swallowing repeatedly or wandering around
- + the person is not aware of their surroundings or of what they are doing.

Atonic seizures

Symptoms:

+ sudden loss of muscle control causing the person to fall to the ground. Recovery is quick.

Myoclonic seizures

Symptoms:

+ brief forceful jerks which can affect the whole body or just part of it + the jerking could be severe enough to make the person fall.

Absence seizures

Symptoms:

+ the person may appear to be daydreaming or switching off. They are momentarily unconscious and totally unaware of what is happening around them.

Do . . .

- + guide the person away from danger
- + look for an epilepsy identity card or identity jewellery. These may give more information about a person's condition, what to do in an emergency, or a phone number for advice on how to help.
- + stay with the person until recovery is complete
- + keep calm and reassure the person
- + explain anything that they may have missed.

Don't . . . +

restrain the person

- + act in a way that could frighten them, such as making abrupt movements or shouting at them
- + assume the person is aware of what is happening, or what has happened + give the person anything to eat or drink until they are fully

recovered + attempt to bring them round.

999

Call for an ambulance if . . .

- + one seizure follows another without the person regaining awareness between them
- + the person is injured during the seizure
- + you believe the person needs urgent medical attention.

Do not cancel an ambulance once called, even if the pupil's condition appears to have improved.

Management of Needlestick / Sharp Injuries

Step 1

- Sharp Injury such as clean / used needle or human bite
- Encourage the wound to bleed if skin punctured

NB

• DO NOT SUCK OR PLACE WOUND IN THE MOUTH

Step 3

- Wash wound / exposed area with soap & water
- Cover wound / exposed area with plaster / dressing

Step 4

Step 6

Step 7

• Report incident to First Aider

First Aider / Headteacher Actions

Step 1	First Aider to report Incident to Headteacher Advise if Staff or Pupil incident
Step 2	Staff incident - advise staff to report to A&E
Step 3	Pupil incident - determine if single or multiple incidents Single incident - escort pupil to A&E and inform parents / carers of actions
Step 4	Multiple incidents - obtain as much information as possible re affected pupils (Name, DOB, Parent contact details, date & type of incident as a minimum)
Step 5	Inform School Nurse School / School Nurse to contact Parents / Carers regarding incident and ask them to attend school
	• School Nurse to contact A&F department informing them of incident and subsequent attendance at A&F (provide list of names & DOB)

• School / School Nurse to contact LA Health Protection Team (0161 474 2440)

• Health Protection Team will liaise with Public Health England Health Protection for further advice and guidance

• Parent / Carer to escort Pupil to A&E